

A Survey of Augmented, Virtual, and Mixed Reality for Cultural Heritage

MAFKERESEB KASSAHUN BEKELE, Computer Science Department, University of Cape Town and CIC, School of Media Culture and Creative Arts, Curtin University

ROBERTO PIERDICCA, EMANUELE FRONTONI, and EVA SAVINA MALINVERNI,

Universita Politecnica delle Marche

JAMES GAIN, Computer Science Department, University of Cape Town

A multimedia approach to the diffusion, communication, and exploitation of Cultural Heritage (CH) is a well-established trend worldwide. Several studies demonstrate that the use of new and combined media enhances how culture is experienced. The benefit is in terms of both number of people who can have access to knowledge and the quality of the diffusion of the knowledge itself. In this regard, CH uses augmented-, virtual-, and mixed-reality technologies for different purposes, including education, exhibition enhancement, exploration, reconstruction, and virtual museums. These technologies enable user-centred presentation and make cultural heritage digitally accessible, especially when physical access is constrained. A number of surveys of these emerging technologies have been conducted; however, they are either not domain specific or lack a holistic perspective in that they do not cover all the aspects of the technology. A review of these technologies from a cultural heritage perspective is therefore warranted. Accordingly, our article surveys the state-of-the-art in augmented-, virtual-, and mixed-reality systems as a whole and from a cultural heritage perspective. In addition, we identify specific application areas in digital cultural heritage and make suggestions as to which technology is most appropriate in each case. Finally, the article predicts future research directions for augmented and virtual reality, with a particular focus on interaction interfaces and explores the implications for the cultural heritage domain.

CCS Concepts: • **Computing methodologies** → **Mixed/augmented reality; Virtual reality;**

Additional Key Words and Phrases: Cultural heritage, augmented reality, virtual reality, mixed reality

ACM Reference format:

Mafkereseb Kassahun Bekele, Roberto Pierdicca, Emanuele Frontoni, Eva Savina Malinverni, and James Gain. 2018. A Survey of Augmented, Virtual, and Mixed Reality for Cultural Heritage. *ACM J. Comput. Cult. Herit.* 11, 2, Article 7 (March 2018), 36 pages.

<https://doi.org/10.1145/3145534>

This research was funded by the Hasso-Plattner Institute.

Authors' addresses: M. K. Bekele, Computer Science Department, University of Cape Town, South Africa, Curtin Institute for Computation, School of Media Culture and Creative Arts, Curtin University, Australia; email: mafkereseb.bekele@postgrad.curtin.edu.au; R. Pierdicca, E. Frontoni, and E. S. Malinverni, Universita Politecnica delle Marche, Italy; emails: r.pierdicca@pm.univpm.it, {e.frontoni, e.s.malinverni}@univpm.it; J. Gain, Computer Science Department, University of Cape Town, South Africa; email: jgain@cs.uct.ac.za.

Permission to make digital or hard copies of all or part of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. Copyrights for components of this work owned by others than ACM must be honored. Abstracting with credit is permitted. To copy otherwise, or republish, to post on servers or to redistribute to lists, requires prior specific permission and/or a fee. Request permissions from permissions@acm.org.

© 2018 ACM 1556-4673/2018/03-ART7 \$15.00

<https://doi.org/10.1145/3145534>

ACM Journal on Computing and Cultural Heritage, Vol. 11, No. 2, Article 7. Publication date: March 2018.

1 INTRODUCTION

Cultural Computing (CC) is an emerging field that applies computer technology and scientific methods to culture, arts, and the social sciences to represent, enhance, extend, and transform creative products and processes (Haydar et al. 2011; Wang 2009). Advancements in computer technology have made the acquisition, recording, and manipulation of three-dimensional (3D) data technically achievable (Portalés et al. 2009) with techniques such as reverse engineering and computer graphics being used for analysing, studying, preserving, and visualising Cultural Heritage (CH) assets (Barsanti et al. 2015). Since the mid-2000s, the use of enabling technologies in Cultural Heritage has been extended to immersive technologies—a collective term for augmented-, virtual-, and mixed-reality technologies, which provide sensory experiences through various combinations of real and digital content.

Cultural Heritage, as a domain, benefits significantly from the use of these technologies. Users are able to experience cultural artefacts in a completely new way. While there are a number of general surveys of immersive-reality technologies (Adhani and Awang 2012; Anthes et al. 2016; Arth et al. 2015; Azuma et al. 2001; Azuma 1997; Carmigniani et al. 2011; Costanza et al. 2009; Papagiannakis et al. 2008; Sanna and Manuri 2016; Van Krevelen and Poelman 2010; Zhou et al. 2008; Zhou and Deng 2009), there has been little attempt to collate and analyse the available literature on their application to the Cultural Heritage domain specifically. In addition, there is no comprehensive review of the research challenges or future directions in this area. Such a review is called for given that recent literature provides a plethora of new applications aimed at enhancing the perception of art through digital content and new interaction mechanisms. Our survey fills this niche and is intended to help researchers, practitioners, art curators, and developers understand the benefits and potential hurdles of applying immersive reality to Digital Cultural Heritage.

The impetus to exploit different forms of digitization in the CH domain dates back decades. It has even been made explicit in EU commission policies that the democratization of goods that have value for all humanity should be ensured through digitization, accessibility, and interoperability to enable sharing of both information and responsibilities aimed at conserving cultural identity and awareness.

Digitization enables the spread of knowledge and the use of innovative immersive reality tools could further facilitate the access to CH in a more appealing and innovative way. The only surveys specifically from a CH perspective cover virtual museums (Styliani et al. 2009), virtual reality for tourism (Guttentag 2010), mobile AR applications for CH communication (Casella and Coelho 2013), and the challenges of AR for CH (Kounavis et al. 2012; Noh et al. 2009; Rigby and Smith 2013). A more holistic view of the field is therefore warranted. This review provides practitioners with all factors that need to be considered when determining technology adoption and the relevant technical requirements for a range of CH applications. Hence, the main objectives of this review are as follows:

- to outline state-of-the-art research and applications of augmented, virtual, and mixed reality for the CH domain;
- to reveal areas of research concentration and deficiency in this field, thereby highlighting limitations of existing technology and impediments to future research;
- to provide a framework for comparing state-of-the-art systems and to understand which solutions are most appropriate for a given application.

Thus, in this article we survey the essential aspects and the current state-of-the-art in augmented, virtual, and mixed reality from a CH perspective and describe research performed to develop applications and systems. We further summarise the adopted technologies and application areas of these studies and suggest future research directions. The remainder of the article is organized as follows: Section 2 describes the reality-virtuality continuum and provides the most accepted definitions of augmented, virtual, and mixed reality. Then Section 3 provides a detailed discussion of the enabling technologies of these immersive reality approaches from a CH




Fig. 1. The reality-virtuality continuum consists of environments ranging from real to virtual and all possible variations and compositions of real and virtual objects in these environments. Copyright content permission granted by IEICE TRANSACTIONS on Information and Systems.

perspective. Section 4 evaluates the major CH-related works and identifies application areas, with a focus on the past decade, and provides technical requirements for the identified areas. Current issues and future research directions are outlined in Section 5. Finally, Section 6 provides a concluding summary.

2 THE REALITY-VIRTUALITY CONTINUUM

The reality-virtuality continuum describes the span between real and virtual environments, with Augmented Reality (AR) and Augmented Virtuality (AV) in between (Milgram and Kishino 1994). AR is close to the real world and AV is close to a virtual environment (Milgram et al. 1995), as shown in Figure 1.

Augmented reality’s most accepted definition was provided by Azuma (1997) as “a system that combines real and virtual content, provides a real-time interactive environment, and registers in 3D.” According to Milgram and Kishino (1994), AR completes reality without completely replacing it. AR studies performed in the past decades, however, have shaped the definition of AR as a system that enhances our view of the real world by adding virtual and computer-generated information (Casella and Coelho 2013; Haydar et al. 2011; Liarokapis et al. 2005; Rolland and Fuchs 2000; Vlahakis et al. 2001). An AR system typically has the following characteristics (Azuma et al. 2001): (i) It combines real-world and virtual objects, (ii) runs in real time, and (iii) allows interaction between users and virtual objects (Liarokapis 2007). Beyond this, Azuma (1997) extends the concept of AR to systems with the potential to remove objects from a real environment using graphic overlays—some scholars classify this as Mediated Reality. In general, both augmented reality and mediated reality aim to enhance our perception of and interaction with the real environment by adding virtual information and providing intuitive interaction metaphors. However, the former adds virtual information over the real-world view and displays an augmented view, whereas the latter overlays synthetic content to cover or virtually erase the real-world view or some part of it. Since it is similar to AR, mediated reality can be placed close to the real environment in the continuum.

Virtual Reality (VR), on the other hand, when fully exploited, completely immerses users in a synthetic world without any possibility of seeing the real environment, except through computer-generated representations (Carmigniani et al. 2011). VR provides synthetic content to the senses in such a way that visual perception, hearing, and touch approach the experience of an actual environment (Zhao 2009).

The third approach, AV, augments the virtual world with live scenes from the real world. Mixed Reality (MR) covers the continuum from AR to AV and aims at blending the real and virtual environments in different ways. It is thus a broad category covering various forms of AR and AV in a single technology.

While there is no generally accepted collective term for all these technologies, we will use Immersive Reality when referring to any or all of VR, AR, and MR. It should be recognised, however, that the technologies and applications discussed in this survey support varying degrees of immersion. For instance, Fishtank VR, in which a user views a conventional display using stereoscopic glasses, and Mobile AR, where a cellphone is used as a handheld AR display, can both be categorised at best as semi-immersive. We have chosen to include

such semi-immersive approaches in this review due to their prevalence, with due recognition of their obvious limitations in evoking a sense of presence.

Providing a fine distinction among AR, AV, VR, and MR is beyond the scope of this survey article. However, we provide the following simple working definitions for the continuum:

- **Augmented Reality:** aims at enhancing our perception and understanding of the real world by superimposing virtual information on our view of the real world.
- **Augmented Virtuality:** aims at augmenting the virtual world with scenes from the real world.
- **Virtual Reality:** aims at enhancing our presence and interaction with a computer-generated environment without a means to interact with or see the real world.
- **Mixed Reality:** aims at blending real and virtual environments.

3 IMMERSIVE REALITIES AND CULTURAL COMPUTING

A number of studies demonstrate the viability of augmented-, virtual-, and mixed-reality adoption for different application areas in CH (Barsanti et al. 2015; Chrysanthi et al. 2012; Dow et al. 2005; Kang 2013; Pietroni et al. 2013).

In terms of the adoption of AR in Cultural Computing, this began as early as 2001 with the ARCHEOGUIDE project (Vlahakis et al. 2001), and Arcese et al. (2011) predict the further spread of AR in the CH sector given its appropriate fit. Based on these investigations and other applications developed by researchers, such as Zoellner et al. (2009b), Kim et al. (2009), Colizzi et al. (2010), Damala et al. (2012), Rattanarungrot et al. (2014), and D’Auria et al. (2015), the three major application areas of AR in CH are enhancing visitors’ experience, heritage reconstruction, and heritage data management and exploration.

Even though the adoption of VR in a wide spectrum of application domains began soon after the term “virtual reality” was introduced in 1989, there has since been a variety of interpretations of the term (Zhou and Deng 2009). The technological and immersive aspects of VR have contributed to the diversity of definitions. However, mediating among the technology and immersion-centered assertions, Carrozzino and Bergamasco (2010) properly defined VR as a complex technology that creates a digital environment with which users may interact and which they feel completely immersed within. Thus, immersion and interaction are essential aspects of a VR experience. In a narrower sense, since visual information tends to override all the other senses, immersion implies that the visual aspect of the experience is the ultimate sensory effect of VR. Ideally immersion, however, also includes a simulation of acoustic, haptic, smell, taste, and motion senses. A perfect virtual reality experience affects all of our senses and allows us to interact with the virtual environment naturally—as we would with our surrounding real environment. Though VR aims at enhancing one’s presence in a virtual environment, which is a cumulative effect of immersion and interaction, it does not necessarily imply that the digital environment is a representation of a fictitious world. Instead, researchers in the CC domain have exploited VR and 3D data acquisition techniques such as photogrammetry and laser scanning to build applications that are used for a variety of CH purposes, such as virtual museum, virtual reconstruction, virtual exploration, and Cultural Heritage education (Barsanti et al. 2015; Christou et al. 2006; Gaitatzes et al. 2001; Haydar et al. 2011; Mourkoussis et al. 2002; Pietroni et al. 2013). Section 4 discusses these application areas, in detail.

Mixed reality is an environment where real and virtual content coexist and interact in real time. The aspects of augmented and virtual reality merge to achieve this. MR is not just an alternative to augmented or virtual reality. Rather, it is a unique perspective that enriches humans’ perception of both real and virtual environments. Flexibility, immersion, interaction, coexistence, and enhancement are the essential aspects of a mixed reality experience. It is achieved by adopting the technological aspects of both AR and VR. Thus, an MR experience, regardless of the domain, provides a real-virtual environment, where users feel immersed and their perception of the real world is enhanced. Mixed-reality systems in the CH domain include the studies by Hall et al. (2001), Galani (2003), Benko et al. (2004), Magnenat-Thalmann et al. (2004), Magnenat-Thalmann and Papagiannakis

(2005), Dow et al. (2005), Liarokapis et al. (2007), Naemura et al. (2010), Santos et al. (2010), Chrysanthi et al. (2012), Oliva et al. (2015), and Okura et al. (2015).

Regardless of the domain, the essential aspects of augmented-, virtual-, and mixed-reality applications are as follows:

- *Tracking and registration*
- *Virtual environment modelling*
- *Computers, display, and devices for input and tracking*
- *Interaction interfaces*

Interested readers can refer to Billinghurst et al. (2015), which provides a general tutorial of Augmented Reality not limited to any one domain. A particular immersive environment *system* is formed by making different choices for these components, and certain pre-packaged options are available as part of existing *development tools*, which serve to accelerate system development.

3.1 Tracking and Registration

Although both AR and VR applications seek to track the user's viewpoint, their ultimate purpose is different. AR needs tracking to superimpose virtual content over real environment views, while in VR the purpose is to correct the perspective of displayed virtual content. Unlike AR, tracking is not a must in VR applications, unless the experience is intended to be immersive. For instance, a desktop or mobile non-immersive VR system can display virtual content without tracking the user's pose. As with AR, tracking in Mixed Reality is needed to seamlessly register virtual content and real-world views in real time and correct the perspective to enhance users' presence in the real-virtual environment. It is important to distinguish between calibration and tracking; the former refers to determining an initial viewpoint and camera properties, while the latter refers to continuous re-evaluation of poses to accurately align assets (Rigby and Smith 2013). The practical effectiveness of registration is highly dependent on a tracking method's speed and accuracy.

There is a broad divide in tracking between techniques that rely on a camera as opposed to using physical sensors. For augmented reality applications in the CH domain, tracking is usually achieved by camera-based techniques (marker-based, markerless, or infrared) (Bay et al. 2005; Seo et al. 2010; Zoellner et al. 2009a), sometimes supplemented by sensor-based electromagnetic or hybrid tracking methods. There are also many ways to achieve positional tracking in VR, but they tend to rely more on sensor-based electromagnetic, acoustic, inertial, and hybrid tracking. One exception to this trend is the widespread use of camera-based infrared (IR) tracking. MR applications use similar methods to achieve tracking.

3.1.1 Camera Based.

Marker-Based Tracking. Marker-based tracking uses a digital camera, vision algorithms, and easily recognisable landmarks placed in indoor or outdoor environments—these fiducial markers could be passive (printed markers) or active (IR emitting), with the latter discussed in more detail later. Most of the existing AR applications use passive markers. However, such a tracking approach is less suitable indoors, because markers generally require good lighting condition, although such lighting conditions can be controlled. More importantly due to CH fragility, markers may not be usable due to the possibility of damage. Nevertheless, placing markers in indoor conditions is technically affordable; for instance, the ARCO project (Wojciechowski et al. 2004) uses markers to display and remove virtual objects (3D models) into and from the AR environment. Users are able to interact with the virtual objects using the markers. In another project, Mobile Augment Reality for Cultural Heritage (MARCH), Choudary et al. (2009), visual markers—in the form of coloured patches—are used to superimpose virtual objects over digital cave images. The marker-based tracking methods employed in these projects are in indoor conditions. However, the former uses fiducial markers while the latter uses visual markers.

Markerless Tracking. Vision-based tracking (also called *markerless*), generally, tracks camera pose by detecting and recognising geometric features in the real environment to establish 3D world and 2D image coordinate correspondences. This approach can provide realistic real-time camera pose tracking. However, rendering virtual objects over the real environment could be slow due to the large amount of processing required (Papagiannakis et al. 2008). Unlike marker-based techniques—which are dependent on easily recognisable markers, markerless tracking depends on distinguishable geometrical features, such as building corners and edges.

In computer vision, most tracking techniques can be divided into two classes: *feature based* (Cucchiara and Del Bimbo 2014) and *model based* (Uchiyama and Marchand 2012). The underlying concept of *feature-based* methods is to find a correspondence between 2D image features and their 3D world frame coordinates. *Model-based* techniques, instead, explicitly use a model of the features of tracked objects such as a CAD model or 2D templates of the object based on distinguishable features. The tracking phase is based on lines, edges, or shapes present in the model.

This tracking approach can be used for both indoor and outdoor AR applications. However, it is not always feasible if the site lacks suitable features and the model-based approach requires a database of images for each object in the real environment taken from different viewpoints. Moreover, markerless tracking is more prone to failure under conditions where the motion frequency of a camera is high—geometric features may not be detected at all or virtual objects could be misregistered.

More recently, the Kinect has been used to establish 3D world and 2D image correspondences to determine camera pose, thereby demonstrating that the combination of depth and image correspondence can provide reliable estimates of camera pose (Bostanci et al. 2015). When compared with marker-based approaches, markerless tracking has the potential of being used for both indoor and outdoor AR applications as long as the database of images of the real environment is in place. However, this approach suffers from significant processing requirements, which often introduces registration delay.

Infrared Tracking. Optical IR tracking is a method of estimating in real time the pose of a given target by tracking the position and orientation of either active or passive IR markers. The two basic characteristics that differentiate this tracking are that it always uses IR markers and is not affected by lighting conditions. Active markers are IR emitting diodes that periodically flash IR light, whereas passive markers consist of retro-reflective materials that reflect back the incoming IR lights towards the source. Usually, multiple cameras illuminate the tracking space with IR light, thereby allowing the 3D location of multiple targets to be measured. Here, it is worth distinguishing between measuring the position of a target and measuring the pose of a target. With a single marker attached to a target only its position can be tracked. Multiple markers are needed to track both position and orientation. IR tracking has low latency; however, it does not function if the line of sight between the IR source and retro-reflector is obscured. Such systems can also be affected by ambient IR radiation present in the tracking space. Haydar et al. (2011) and Barsanti et al. (2015) use IR tracking in their respective VR cultural heritage systems—the latter combines optical and inertial tracking methods to obtain robust pose tracking performance.

3.1.2 Sensor Based.

Electromagnetic Tracking. Electromagnetic tracking relies on measuring the intensity of the magnetic field between a base station and a measurement point, in various directions and orientations. This tracking system has low latency and high responsiveness, but it is subject to interference from other magnetic fields near the tracking space. However, this can be mitigated by installing the tracking system in a controlled environment.

Acoustic Tracking. Acoustic tracking estimates the pose of a viewpoint by calculating the time taken for ultrasonic sound waves to travel from a target (emitter) to a sensor, which is usually kept stable in the tracking space. Ultrasonic emitters are attached to the HMD and interaction devices if both the viewpoint and interactions are being tracked. When multiple sensors and emitters are present in the tracking space, the time difference

between the ultrasonic waves travelling through synchronised sensors and emitters provides an estimate of the orientation of the sensors relative to the emitters. Unfortunately acoustic trackers have low update rates as a result of the relatively slow speed of sound. Moreover, this tracking system is prone to measurement errors caused by ambient noise. Acoustic tracking systems provide a better accuracy when fused with other tracking methods. For instance, Hernández et al. (2007), combine acoustic and inertial tracking for a cultural heritage VR application—the authors present an immersive VR system that allows users to physically walk and track their pose while they are exploring a virtual environment.

Inertial Tracking. Inertial tracking is a navigation system that uses gyroscopes and accelerometers to measure the rotation and motion of a given target, thereby enabling the calculation of pose and velocity. The accelerometer measures linear acceleration to calculate the position of a target relative to some initial point. The gyroscope, on the other hand, measures angular velocity to calculate the angular rotation of a target relative to some initial orientation. Hence, the pose of a target is the integration of the measurements from the accelerometer and the gyroscope. This tracking method is inexpensive and can provide high update rates with low latency. However, it suffers from positional drift as a result of the accumulation of small measurement errors from the accelerometer and the gyroscope. Thus, relying on inertial tracking alone to estimate the position is problematic. An alternative is to fuse it with other tracking methods to obtain better positional accuracy; for instance, Hernández et al. (2007) combine acoustic and inertial tracking methods, and Barsanti et al. (2015) combine optical and inertial tracking.

3.1.3 Hybrid Tracking. A fusion of the aforementioned tracking methods can yield better results than when each of them are employed separately. For instance, inertial tracking suffers from positional drift but provides better accuracy for orientation measurement, and marker-based and IR tracking are affected if markers are occluded. During such situations, the data from the inertial tracker are used to estimate position until camera-based tracking is synced to the marker again. In particular, inertial tracking is often combined with the other tracking methods. Also relevant is the work of Bostanci et al. (2015), which uses Kinect to establish 3D world and 2D image correspondences and, from them, determine camera pose.

There is also a trend to combine GPS and camera-based tracking, which is a good solution in cases where the POIs are very close to each other (e.g., in a big city). With the help of the picture taken by the camera and the GPS coordinates, the device can recognize attractions in a more flexible and reliable way (Attila and Edit 2012). Additional insights about this approach are reported by Geiger et al. (2014).

Typical applications, in the CH domain, that use hybrid tracking include Vlahakis et al. (2001), Schnädelbach et al. (2002), and Miyashita et al. (2008). For instance, the ARCHEOGUIDE application (Vlahakis et al. 2001) combines markerless tracking and GPS to determine viewpoint pose.

3.2 Virtual Environment Modelling

In a broader sense, virtual environment modelling is the process of simulating real objects and their state in a digital space, the behavioral rules that the objects obey, and the relationships and interactions between them (Zhao 2009). To this end, there are several types of model data and modelling methods.

3.2.1 Model Data Types. Data acquisition methods and the aspects associated with real-world objects are the two broad perspectives used to classify data types. From a data acquisition perspective, there are three types of model data, namely actual measurement, mathematical measurement, and artificial construction (Zhao 2009). Actual measurement refers to the model data acquired through the processes of 2D and 3D scanning and any other process that involves the use of data capturing equipment. For instance, Barsanti et al. (2015) use photogrammetry to acquire the 3D data of ancient Egyptian artefacts—a wooden sarcophagus and heart scarab—and model them for VR visualisation. Mathematical measurement refers to the use of mathematical models, abstractions, and experimental analyses to generate model data of the real environment. The model data from both actual and mathematical measurement represent the real world in digital space, although they use different techniques

to acquire the model data. Artificial construction, however, refers to model data generated by human imagination, where the world represented by the model data is completely fictitious. Since the virtual environment in most CH-based VR applications are representations of the real world, actual measurement techniques, such as photogrammetry and laser scanning, and mathematical measurement methods are most often employed.

In terms of real-world associations, model data types can be categorised into spatial structure data; physical, behavioural, and dynamic properties; and motion data (Zhao 2009). Spatial structure data refer to the geometric state of real objects; physical property data describe the physical processes and changes of real objects; behavioural property data represent the behavioural processes of real objects; and both dynamic and motion data describe the real objects' deformation, collision, motion, and so on. Despite this range, in practice, VR systems in the CH domain tend to focus primarily on spatial structure data to represent the geometrical aspects of artefacts and use actual and mathematical measurement methods for data acquisition. A practical example is the Mont'e Prama project (Rodríguez et al. 2015), which employs 3D high-quality scans, enriched with information overlays on both mobile and museum setups.

3.2.2 Modelling Methods. Modeling methods can be classified according to the perception modalities of the intended user and aspects of the simulated objects in the VR environment. Accordingly, from a sensory perspective, modelling methods are classified into visual, auditory, and haptic. From the simulated object perspective, on the other hand, the modelling methods are categorised into scene appearance, physics-based behaviour, and real-virtual combined modelling (Zhao 2009). Of these, scene appearance and real-virtual combined modelling methods are common in cultural heritage VR applications, because the former focuses on representing the geometric aspects of real-world objects, and the latter refers to interfusing the computer-generated content and real world scenery to improve the efficiency and flexibility of VR modelling. During actual modelling, there are three guiding factors for determining which model data type and modelling method to employ—complexity of objects in the real world, the users' intended modality, and the expected degree of model fidelity. Often multiple modelling methods and model data acquisition techniques are combined to generate model data to satisfy the required model fidelity.

MR applications provide a blend of current and historical (theorised) views of CH, as demonstrated by Magnenat-Thalmann and Papagiannakis (2005), Oliva et al. (2015), and Okura et al. (2015). From a technical point of view, the representation of heritage in an MR environment thus requires two distinct forms of 3D data—current and historical (Addison and Gaiani 2000). The complementary combination of these forms is referred to as “real-virtual.”

3.3 Devices

In general, the main devices required for augmented-, virtual-, and mixed-reality systems are displays, computers, tracking cameras, and input devices.

3.3.1 Display. Presenting virtual content is perhaps the most essential aspect of immersive technologies. Presentation devices are classified according to the kind of virtual content they are designed to display—visual, auditory, or tactile. However, to date, existing CH-related applications, have focused on visual presentation. There are five types of displays. The first, Head-Mounted-Displays (HMD), can be used for AR, VR, and MR experiences. The HMDs in AR can either be optical-see-through or video-see-through. Optical-see-through allows users to see part of the real environment through the lenses, while the video-see-through HMD supplies a view from video feeds supplied by multiple wearable cameras. Optical-see-through HMDs have to overlay real space to display the augmented view—users see synthetic content and the real environment coexisting in a virtual space. In the case of video-see-through HMDs, on the other hand, a computing device processes the images coming through the cameras mounted on the HMD, augments the scene with virtual information, and renders the blended images and this approach is therefore more demanding in terms of computation. Since the user sees the real environment

through the cameras mounted on the HMD, video-see-through HMDs can trick human perception into believing that virtual and real environments coexist by introducing deliberate delay before rendering the blended image, thereby properly registering virtual information over the real environment (Rolland and Fuchs 2000). Such control over the registration process is extremely difficult with optical-see-through HMDs, because the user can see the real environment thorough the lenses, firsthand. In any case, the introduced latency must be very low, otherwise users will notice the time gap. HMDs in VR, on the other hand, are not see-through. These displays have been used in a wide spectrum of VR applications to present 3D virtual scenes to users. Such HMDs are connected to a computer for real-time and realistic rendering of virtual scenes. A user's pose is tracked to correct the perspective of displayed images.

The second type of display, Spatial AR (SAR), layers virtual information directly on the real environment, either by projection using video-projectors (Carmigniani et al. 2011) or through holography, such as with the Microsoft HoloLens. Both methods rely on robust low-latency markerless tracking. A recent AR project in the CH domain that use projected displays is the Revealing Flashlight presented by Ridel et al. (2014). Applications of Holographic AR, on the other hand, are only now beginning to emerge due to the nascent technology.

The third type of display, hand-held devices (HHD), can be used for AR, VR, and MR experiences. It combines a digital camera, inertial and GPS sensors, and a portable display. These displays, when used for AR and MR experiences, use video-see-through approaches to superimpose virtual content over real environment views. Most AR research in the CH domain focuses on handheld displays (Angelopoulou et al. 2011; Casella and Coelho 2013; Kang 2013). Handheld displays are also suitable for non-immersive VR systems. Recent advances in mobile technology, such as Samsung's Gear VR, have made it even more suitable for Immersive Reality.

The fourth type of display, a desktop screen and projection, is mainly composed of a workbench, projector, and computer. These display systems are common in visualisation environments for non-immersive and semi-immersive VR experiences. With the addition of stereo glasses, desktop displays can provide 3D scene viewing functionality for multiple users. To correct the perspective, tracking methods can be employed to track pose, though tracking is not very often utilized in non-immersive and semi-immersive settings. Gesture-based and device-based interfaces are commonly implemented to allow interaction with the displayed virtual scenes—for instance, the Etruscanning project of Pietroni et al. (2013) uses projector-based display and gesture-based natural interaction to allow users to interact with digital content aimed at experiencing a virtual reconstruction of the Etruscan Regolini Galassi tomb.

The fifth type of display, a Cave Automatic Virtual Environment (CAVE) and related technologies, is a polyhedral projection display technology that allows multiple users to experience fully-immersive and vivid 3D scenes. Multiple projection displays or screen walls—typically three to six—are conjoined to make up a cavelike cube, in which users are situated to experience enhanced presence in fully immersive 3D virtual environment. The VR systems presented by Gaitatzes et al. (2001) and Christou et al. (2006) are typical examples of CAVES in CH.

3.3.2 Computer. Computing devices are used in AR, VR, and MR to run the required software tools. From a hardware perspective, a state-of-the-art system is generally needed to generate and render realistic virtual scenes in real time. As little as a decade ago, it was common to use laptops and bulky bags that users had to carry when using the application in situ. These days, mobile devices, such as smart phones and tablets, are equipped with much better processing units and memory than high-end laptops from a few years ago. More than this, mobile devices typically incorporate a high-resolution display, inertial and touch tracking, and multiple cameras in a single small portable package, making them well suited to outdoor AR application.

3.3.3 Tracking Devices and Cameras. Cameras are used for AR and MR applications that depend on marker-based or markerless tracking. Camera and tracking devices are used in combination if a hybrid tracking approach is required. In general, the commonly used tracking devices are electromagnetic, acoustic, and inertial sensors. For instance, a relatively recent CH application—AR Teleport—by Kang (2013) exploits the smart-phone's inbuilt inertial sensors and camera to track pose. This application is designed to allow the user to travel from present

sites to the past using rich interactions, such as jumping, blowing air, swiping with a finger, and touching buttons on a phone.

3.3.4 Input Devices. A range of input devices are available. To shift interaction interfaces from desktop-based Graphical User Interfaces (GUI) to more intuitive and natural ones, speech, gaze, and gesture sensors—including wearable devices, such as gloves and wireless wristbands—will substitute for conventional input devices. However, the choice of input device should depend both on the domain of the application and the system. For instance, the TOOTEKO AR application presented by D’Agnano et al. (2015) uses Near-Field-Communication (NFC) sensors attached to a 3D printed replica of an artefact as input device, which returns audio content when touched by users. In the case of AR applications that use mobile devices, input and interaction can exploit the touch-screen, microphone, and tracking sensors. More generally, the common input devices for interaction and input in VR applications are data gloves, gesture sensors, joysticks, mice, wands, gamepads, and some wearable haptic sensors. For instance, the Etruscanning project, presented by Pietroni et al. (2013), uses a Kinect sensor, and Barsanti et al. (2015) use the Leap Motion to allow users to interact with virtual scene through motion sensing.

3.4 Interaction Interfaces

Interaction between users and virtual information is one of the essential aspects of immersive reality across domains. Research in the fields of Tangible User Interfaces (TUI), augmented reality, and Human Computer Interaction (HCI) aim to provide intuitive and natural interaction interfaces (Billinghurst et al. 2008; Hürst and Van Wezel 2013; Kang 2013; Kato et al. 2000; Liarokapis et al. 2005; Vlahakis et al. 2001).

Interaction also has a defining impact on the sense of presence. Although there is a range of domain-specific definitions, from a VR perspective, presence is the perception of being physically present in a non-physical world. Enhancing a user’s presence in a virtual environment, which is an essential experiential aspect of VR, is a cumulative effect of immersion and interaction. The former refers to the sense of being surrounded by a virtual environment, whereas the latter is the possible range of users’ interaction with the virtual environment. Therefore, when VR applications become sufficiently immersive and completely embed users within virtual environments, and natural interaction interfaces become a seamless metaphor for interacting with virtual surroundings, a person’s perception can be tricked so that they believe themselves to be in a separate, but realistic world. Despite the undeniable fact that immersion has taken the lion’s share of VR development, interaction plays a significant role as well.

In general, there are six types of interfaces for augmented, virtual and mixed reality systems: tangible, collaborative, device-based, sensor-based, hybrid, and multimodal interfaces.

3.4.1 Tangible. A tangible interface affords interaction that exploits direct manipulation of information through physical objects, and AR’s ability to combine computer-generated content and physical environments (Ishii 2008; Shaer and Hornecker 2010). When its full potential is realised, tangible AR interfaces can support direct augmentation of tangible interfaces. Thus, the same physical object becomes both display and interaction metaphor. Here it is important to distinguish between using a physical object to interact with virtual information displayed separately elsewhere, and augmenting the physical objects with virtual information and interacting with the augmented view through the same object, which fully integrates TUI and AR. In the narrower sense, applications that use physical input devices and mobile AR applications could be considered tangible AR. The use of touch screens make this interface common in the CH domain. However, the broader case where physical objects are augmented and used as interaction metaphors is not a common approach in the CH domain as it requires physical contact with the artefacts to interact with virtual information, which is often not possible due to the fragility and size of the artefacts. However, there are some studies that do investigate this: For instance, the TOOTEKO AR application presented by D’Agnano et al. (2015) uses a tactile 3D printed object as a replica of

an actual artefact. The replica is augmented with audio content and users can touch different parts of the tactile surface and get varying audio feedback.

3.4.2 Collaborative. Collaborative interfaces make use of multiple displays such as see-through HMD and SAR to support remote, face-to-face, and shared activities (Carmigniani et al. 2011). When used for face-to-face collaboration, such interfaces rely on tabletop settings to project virtual information or on see-through HMDs. In both cases, users should be able to see the virtual information from their own perspective. On the other hand, when this interface is employed for remote collaboration, participants can wear a see-through HMD and remotely collaborate in a common virtual space. Reitmayr and Schmalstieg (2004) present such a collaborative AR application using a see-through HMD. Their system is used for collaborative navigation and information browsing at historical sites in an urban environment, thereby providing multiple features so that users can follow, guide, and meet other users based on proximity.

3.4.3 Device Based. Any interaction interface that uses GUIs, haptic interfaces, and conventional devices, such as mouse, gamepad, joystick, wand, and so on, to allow users to interact with the virtual environment, is defined as a device-based interface. Arguably, sensors are a kind of device, but it is important to distinguish between devices and sensors on the basis of their characteristic of demanding touch-based manipulation. The former requires users to physically manipulate the device to function, whereas the latter senses users' natural interactions, such as gesture, speech, and gaze, without physical contact. For example, the interface for "Reviving the past" Gaitatzes et al. (2001), uses a hand-held navigation tool called Wanda, which is a tracked device that resembles a traditional three-button mouse but with additional features of a joystick and spatial position tracking.

3.4.4 Sensor Based. In general, sensor-based interfaces employ sensing devices to understand natural interaction modes. The flow of interaction commands is not explicitly forwarded from user to system; rather, the system actively perceives the users' intention through sensors. Common sensors include motion tracking, gaze tracking, and speech recognition. The Etruscanning project (Pietroni et al. 2013), and a VR system that presents the "path of the dead," an important ritual in ancient Egypt (Barsanti et al. 2015), use sensor-based interfaces. The former uses the Kinect sensor to sense simple gestures such as turning one's hands right and left and spreading the arms. Whereas the latter uses the Leap Motion sensor to allow users to interact with the displayed virtual scenes through simple hand movements such as grabbing.

3.4.5 Hybrid. A hybrid interface integrates a variety of different, but complementary, interfaces and a range of interaction devices (Zhou et al. 2008). Such interfaces should automatically accommodate a changing set of devices and the interaction techniques associated with them (Zhou et al. 2008). As a result, users can specify new modes and operations at runtime.

When used by AR applications, hybrid interfaces provide the possibility of collaboration among multiple users in the same way as collaborative interfaces. For instance, Benko et al. (2004) present a collaborative mixed reality system integrating a tracked handheld display, see-through HMDs, and multi-touch and multi-user projected displays for archaeological excavation, where users employ a tracked glove, speech commands, and a multi-touch sensitive surface to interact multimodally with the system and collaborate to navigate, search, and view data. The basic difference between collaborative and hybrid interfaces is their purpose and the variety of devices and methods supported: hybrid interfaces may be single user, where, by definition, collaborative interfaces cannot be.

Inevitably, the hybrid interface is the most commonly used one in CH-related VR systems, because it unites the benefits of sensor-based and device-based mechanisms. Accordingly, a combination of sensors and input devices is used to communicate a user's interaction commands to the VR system. In a hybrid interface, sensors are used to track the user's pose for rendering user-centred perspectives, while input devices, typically, are used to interact with the displayed virtual content. The VR application presented by Hernández et al. (2007) uses a hybrid interface combining a wireless pointing device and inertial and acoustic tracking sensors. The tracking

sensors are used for two tasks—to determine user’s pose and to allow users to interact with the displayed virtual environment by physically walking in the digital space.

3.4.6 Multimodal. A multimodal interface is a fusion of two or more natural interaction modes. Thus, multimodal interfaces use a combination of sensing devices to perceive humans’ natural interaction modalities. It is worth distinguishing between multimodal VR experiences and multimodal interfaces. A multimodal VR experience refers to the realism of virtual reality in terms of presence as a result of the effects of the virtual environment on the visual, auditory, and touch senses. Though a multimodal VR experience is implicit in a multimodal interface, the latter refers explicitly to the use of multiple sensors to perceive the commonly used natural interaction modes, such as speech, gaze, and gesture. It is easier to find literatures on multimodal VR than on multimodal interfaces. However, as the technology advances, multimodal interfaces will likely appear in a wider range of domains.

3.5 Systems

Based on intended flexibility, Carmigniani et al. (2011) categorises AR systems into five types: fixed indoor, fixed outdoor, mobile indoor, mobile outdoor, and mobile indoor/outdoor. However, considering AR applications in the CH domain over the past decade, a simpler categorisation into indoor and outdoor AR is warranted. Virtual reality systems, on the other hand, can be classified, based on the intended experience, into non-immersive, semi-immersive, and fully immersive. These systems are implemented by combining various tracking methods, input devices, displays, and interfaces.

3.5.1 Indoor AR. Indoor AR makes use of either marker-based or markerless tracking, see-through HMDs, spatial or handheld displays, and tangible, collaborative, hybrid or multimodal interfaces. Indoor systems do not need GPS, but if the display is an HMD, then the system might use inertial sensors to track the user’s viewpoint. For instance, Kim et al. (2009) employ markerless tracking for an indoor tour system, and Choudary et al. (2009) use visual tracking and a handheld display to enhance CH discovery. AR studies, in the cultural computing domain, that employ indoor systems, include Kim et al. (2009), Seo et al. (2010), Ridet et al. (2014), and Bostanci et al. (2015).

3.5.2 Outdoor AR. Outdoor AR relies heavily on markerless and hybrid tracking, handheld displays, and tangible interfaces. Optical-see-through HMDs and collaborative interface are used in some cases. AR studies, in the cultural computing domain, that use such systems include Vlahakis et al. (2001), Reitmayr and Schmalstieg (2004), Zoellner et al. (2009a), Seo et al. (2010), Angelopoulou et al. (2011), Mohammed-Amin et al. (2012), Kang (2013), Han et al. (2013), Caggianese et al. (2014), and D’Agnano et al. (2015).

3.5.3 Non-immersive VR. Non-immersive systems, as the name suggests, are the least immersive versions of VR experience. Such systems do not need a pose tracking method at all. The virtual environment is viewed through a desktop or handheld display. Interaction with the virtual environment can occur via device-based interfaces. A sense of presence in such virtual environments is not expected. Zara (2004) uses such a system for a web-based visualisation of CH.

3.5.4 Semi-immersive VR. Semi-immersive VR systems are more akin to a flight simulator. They often consist of a large, concave screen, a projection system, and a monitor and are more similar to large-screen movie experiences. Semi-immersive systems are a common system in museums, because they can accommodate large number of users simultaneously. Tracking is not required if the experience is intended for multiple users. However, if a single person is using the system, then tracking the user’s pose might be useful to correct the perspective of the displayed virtual images. The Etruscanning project presented by Pietroni et al. (2013) is a typical example of a semi-immersive VR system implemented in the CH domain.

3.5.5 Fully Immersive VR. Telepresence, which is a state of being fully immersed in a virtual environment, is the ultimate effect of immersion and interaction and VR systems that support this are called fully immersive. Immersing users inside a virtual environment is achieved by displaying a virtual scene from the user’s perspective on HMDs and CAVEs. The ability to see one’s surrounding physical environment is one of the aspects that differentiates AR from VR. However, this issue also comes into play with fully immersive VR systems depending on the display device—in the case of HMD-based VR experiences, one cannot see one’s body, whereas a CAVE-based experience allows seeing one’s body and even others situated in the CAVE. Natural interaction and being situated inside a virtual environment are the essential aspects of telepresence and both HMD-based and CAVE-based VR systems are viable approaches. Interaction during a fully immersive VR experience is best achieved by employing hybrid and multimodal interfaces as device-based interfaces may break user’s immersion, because users will have to focus to some extent on the interaction devices. Fully immersive VR experiences that have been observed in CH domains include those presented by Gaitatzes et al. (2001), Christou et al. (2006), and Barsanti et al. (2015).

3.6 Commercial and Open Source Development Tools

There have been a number of software frameworks created specifically to support immersive reality development, and this section provides an overview of those more suited to the CH domain. The first discriminant is the choice of the Operating System (OS). This is not trivial, since not all the available frameworks are suitable for the most widely adopted Operating Systems (Android and iOS), and to reach the majority of users, the platform has to be taken into account. There are certain points of overlap between AR and VR, since some existing development platforms are suitable for both experiences.

3.6.1 AR Development Toolkits. The number of development tools is increasing almost daily,¹ and this review serves only as a snapshot of the most commonly used current frameworks, of which Wikitude,² Layar,³ and Vuforia⁴ are commercial and PanicAR,⁵ DroidAR,⁶ and ARToolkit⁷ are free. Wikitude is a commercial framework released in 2008 that exploits both *location-based* and *vision-based* tracking. For a description of its use in a museum environment, see Caggianese et al. (2014). Layar is the most widely used solution for *location-based* services. Being able to store POIs in a remote database (DB) and retrieve associated information based on user location make this framework particularly appropriate for outdoor way-finding experiences (Haugstvedt and Krogstie 2012a).

After the removal of Metaio from the market, which for years was the most powerful tool for developing *vision-based* AR applications, Vuforia has become the toolkit of choice for the vast majority of developers. Empler et al. (2013) present a framework for the visualization of 3D artefacts with Vuforia in archaeological contexts. Its integration with Unity3D enables well-rendered 3D models and rapid and easy cross-platform development. It supports a variety of 2D and 3D target types, including Image Targets, 3D Multi-Target configurations, and a form of addressable Fiducial Marker known as a Frame Marker. Additional features of the SDK include localized Occlusion Detection using “Virtual Buttons,” runtime image target selection, and the ability to create and reconfigure target sets programmatically at runtime.

Moving on to free or opensource solutions, ARToolKit is a *vision-based* AR library that includes features such as camera position/orientation tracking, easy camera calibration code, and cross-platform development.

¹<http://socialcompare.com/en/comparison/augmented-reality-sdks>.

²<http://www.wikitude.com>.

³<https://www.layar.com>.

⁴<https://www.vuforia.com>.

⁵<http://www.panicar.dopanic.com>.

⁶<https://bitstars.github.io/droidar/>.

⁷<https://artoolkit.org>.

Table 1. A Comparison between the Most Commonly Adopted AR Frameworks in the Field of CH

SDK	Purpose	Tracking	Platforms	Graphics	Cloud, Computing	Tracking Sensors	License
Wikitude	Indoor, Outdoor	Inertial, Markerless, Model based	iOS, Android	3DUnity support, 2D images, text, 3D Models (proprietary format)	yes	Camera, GPS, IMU	free and commercial
Layar	Mainly for Outdoor	Inertial	iOS, Android	2D images 3D models (proprietary format)	yes	GPS, IMU	commercial
Vuforia	Indoor	Markerless Model based	iOS, Android	3DUnity, OpenGL 3D models	yes	Camera	free and commercial
PanicAR	Only outdoor	Inertial	iOS	2DImaged Labels	no	GPS, IMU	for free
DroidAR	Only outdoor	Inertial	Android	2D Images Labels	no	GPS, IMU	free
ARToolKit	2Dimages, Markers	Marker Markerless	iOS, Android	3DUnity, Android	no	Camera	GPL

Distributed with complete source code, it was initially designed to run on personal computers, making the use of this SDK for the mobile development not preferable (Choudary et al. 2009).

PanicAR, distributed with a free licence, is specifically designed for iOS development and is based on sensor tracking. Kounavis et al. (2012) show its use for *location-based* AR to enhance the tourism experience in an outdoor scenario.

Finally, DroidAR was designed to create AR applications for Android OS with both location- and vision-based approaches. Again the source code is freely available. A test of this tool appears in the work of Quattrini et al. (2016). From our own tests, Vuforia provides the most reliable tracking in terms of rapidity and stability. In contrast, for outdoor scenarios Layar, unfortunately, has some weaknesses, especially in terms of accuracy. Table 1 shows the features and weaknesses of the listed tools.

Recently, AR toolkits based on visual-inertial odometry tracking have been gaining attention. In particular, the Google Tango project has been used for some applications in the CH domain (Lee 2017). The ARKit by Apple is also promising. Unlike Google Tango it does not requires additional hardware, but, being still in its infancy, has yet to be applied to CH.

3.6.2 VR Development Toolkits. With the mass market sale of simple VR devices (e.g., Google Cardboard, Gear VR, HTC Vive) accompanied by supporting applications, VR has become more publicly accessible and affordable.

Game Engines have become the de facto approach for implementing VR systems, due to the range of support they offer, including management of complex 3D models, interoperability of file formats, rendering, animation,

Table 2. A Comparison between the Most Commonly Adopted VR Game Engines in the Field of CH

SDK	License	Dev.Platform	Mobile Platform	Visual Editor	VR Target
Unity 3D	Proprietary	Windows, OSX, eucalyptus	Windows Phone, iOS, Android, Tizen	Yes	Oculus Rift, Gear VR
OpenSceneGraph	Open Source	Linux, Windows	—	No	—
Unreal	free and commercial	Windows, Mac OS X, Linux	iOS, Android	Yes	HTC Vive, Oculus Rift, Google VR, Samsung Gear VR
CryENGINE	free and commercial	Windows, Mac OS X, Linux	iOS; Android	Yes	PlayStation, Xbox, HTC Vive, Oculus Rift, Google VR, Samsung Gear VR

and interaction. Unfortunately, they have the drawback of being complex and represent a significant hurdle for inexperienced programmers.

The most popular game engines for VR are Unity 3D,⁸ OpenSceneGraph,⁹ Unreal Engine 4,¹⁰ and CryENGINE.¹¹ Unity 3D is perhaps the most developer-friendly platform and is the sole one that allows fully cross-platform development. The most commonly cited drawback is that it does not allow real-time modelling. Bruno et al. (2010) demonstrate its use in the DCH domain.

OpenSceneGraph is widely used for VR, scientific visualization, visual simulation, modelling, games, and mobile applications (Baglivo et al. 2013). Although, as a high performance 3D graphics toolkit, it is more oriented towards desktop and web-based rather than mobile applications.

Unreal Engine 4 includes outstanding graphical features, and it is probably the best tool for achieving realistic results. Enables one to deploy projects to Windows PC, PlayStation 4, Xbox One, Mac OS X, iOS, Android, VR (including but not limited to SteamVR/HTC Vive, Oculus Rift, PlayStation VR, Google VR/Daydream, OSVR and Samsung Gear VR), Linux, SteamOS, and HTML5. Unreal Editor can run on Windows, OS X, and Linux.

CryENGINE is also worth mentioning, even though it is not widely used and requires expert developers. Table 2 summarizes the main features of these game engines. A more detailed cross comparison of these tools for the CH domain is provided by Herrmann and Pastorelli (2014).

3.7 Summary

Regardless of the domain, the essential aspects and enabling technologies of immersive reality applications are as follows: tracking and registration methods; virtual environment modelling; computer, display, input, and tracking devices; interaction interfaces; and systems.

AR applications in the CH domain frequently use marker-based, markerless, and hybrid tracking approaches. Optical-see-through HMD, handheld, and spatial/projected displays are the common choices for displaying

⁸<https://unity3d.com>.

⁹<http://www.openscenegraph.org>.

¹⁰<https://www.unrealengine.com>.

¹¹<https://www.cryengine.com>.

augmented views, whereas tangible and collaborative interfaces are used more often to interact with virtual information, though alternatives do exist. AR systems in CH are more commonly outdoor than indoor. Recent advances in computer technology, however, provide the necessary enabling technologies for a combination of indoor and outdoor use. For instance, HoloLens is an optical-see-through HMD and a holographic computer, which allows users to interact with virtual content via gaze, gesture, and speech

VR applications in the CH domain use electromagnetic, inertial, acoustic, IR, and hybrid tracking approaches with IR and inertial tracking most frequent. HMD, desktop, and CAVE displays are the common choices for displaying the virtual environment. Device-based, sensor-based, and hybrid interfaces are used most often to interact with the virtual environment, though multimodal interfaces are more intuitive and natural. The most common VR systems employed in cultural heritage are semi-immersive and fully immersive. Recent advances in HMD, tracking sensors, and computer graphics technologies enable very realistic modelling and real-time rendering of virtual environments, but this has yet to be widely adopted in CH.

4 CULTURAL HERITAGE APPLICATIONS

On the whole, cultural heritage sites and artefacts gain significant added value from enrichment through digital media. Nevertheless, many art curators believe that the use of technology relegates art to the background (Cameron and Kenderdine 2007). This attitude seems to stem from either a cultural or generational source. First, there is widespread skepticism among those not comfortable with technology about the benefits of mobile technologies. Second, and more importantly, there are issues with the way technology is used. The trend in multimedia applications is towards the show and glamour of innovation rather than a focus on solving specific problems with digital (Pierdicca et al. 2016a).

However, there is general agreement that visual CH tools suitable for users unskilled in multimedia technologies are important for CH dissemination (Cignoni and Scopigno 2008). This is particularly the case for younger participants. Generally, museum installations that do not introduce new technologies are rightly or wrongly regarded as less interesting and attract fewer visitors (Gerval and Le Ru 2015). Learning experiences in museums that rely only on labels and descriptions may be informative but they are not interactive (Lu et al. 2014). The creation of an intelligent environment that is responsive to human presence adapts dynamically and supports mobile technology makes the visit path more appealing, opening up new avenues in both tangible and intangible CH (Manovich 2006).

Tangible CH refers to physical artefacts of a society, including artistic creations, built heritage, and other physical products that are imbued with cultural significance. Conversely, Intangible Cultural Heritage indicates non-physical practices, representations, expressions, knowledge, and skills that are recognized as a vital component of Cultural Heritage (Ahmad 2006).

Immersive reality systems have proven to be a viable solution in this regard, allowing navigation, interaction, and discovery in different settings and with a variety of purposes. In archaeology, for example, the problem of the dissemination of heritage is often related to communicating goods that are either seriously damaged or definitively lost. Technologies can serve an X-Ray-like function to show what is concealed under the ground or to augment an environment with virtual reconstructions of lost heritage (Clini et al. 2016).

From these considerations arises the need for a classification of Cultural Heritage application areas to better understand where AR, VR, and MR can offer successful solutions. Accordingly, we classify the purpose of immersive reality in CH as education, exhibition enhancement, exploration, reconstruction, and virtual museums.

- Education aims at enabling users to learn the historical aspects of tangible and intangible CH.
- Exhibition enhancement is intended to improve the visitor experience at physical museums and heritage sites, typically through tour guidance.
- Exploration supports users in visualizing and exploring historical and current views of CHs to discover, interpret, and acquire new insight and knowledge.

- Reconstruction aims at enabling users to visualise and interact with reconstructed historical views of tangible and intangible CHs. Two characteristics differentiate this from exploration: It does not solely target experts and the visualisation and interaction do not necessarily extend to discovery of new insights.
- Virtual museums simulate and present tangible and intangible CHs in digital museum form to the public.

Some of these categories overlap. For instance, a reconstruction application might also allow a user to learn the history of the reconstructed CH. Thus, education and reconstruction purposes coexist under such conditions. Similarly, a virtual museum exhibit might very well be housed within and enhance a physical museum,¹² thus combining with exhibition enhancement. Despite such characteristics, the central objective of a given surveyed application generally favours a particular purpose over others, and we use this as the basis for deciding the primary category.

The relationship between categories is depicted in the Venn diagram (Heberle et al. 2015) of Figure 2, which shows the technologies that dominate in overlapping categories as well as a statistical overview of the distribution of developed systems in the CH domain.

Considering the objective of these application areas, we next discuss technological suitability and technical requirements. Figure 5 summarises these requirements in tabular form. We also categorise a number of augmented-, virtual-, and mixed-reality applications on the basis of these themes. See Tables 3, 5, and 4.

- (1) *Education.* In some senses every research area that deals with the dissemination and diffusion of CH must consider education. However, our focus here is on tools and applications where learning is the primary aim (Bacca et al. 2014). As an example, museum designers have recently turned to leveraging immersive realities' capacity for spatial and temporal representation, narrative, and interactivity, real-time personalized scaffolds, and collaboration to create meaningful learning experiences in medicine and human biology (Matuk 2016). By enhancing a sense of place, for instance, by improving the visit or way-finding in a virtual environment, the learning activity can be significantly improved (Chang et al. 2015). Gargalakos et al. (2011) discuss how playful learning can cross boundaries among schools, museums, and science centers by involving participants in extended episodes of digital interaction with the exhibition. This approach provides significantly improved learning outcomes, increasing students' curiosity, their willingness to share their experiences, and their eagerness to use new technologies and acquire knowledge. In a similar vein, the work by Invitto et al. (2014) considers various interventions and studies related to new technologies and new scientific languages based on the learning objective. The idea is to enhance the usability of the MAUS Museum through an AR application and Virtual Reality projections, related to the natural sciences (Plankton 3D and Tarbosaurus 3D). There is thus evidence that educating users on the historical aspects of both tangible and intangible CHs requires presenting the content in an entertaining environment. To this end, the system should be immersive and interactive. Tangible educational CH needs users' active interaction with the displayed content. An interface in such cases must be as natural and intuitive as possible. Users' inexperience with such applications should not be a constraint that prevents delivering the historical aspects as intended. A user's age, background, and knowledge of the domain may differ, and the system should adapt accordingly. Intangible CHs, however, do not need to rely on adaptive interfaces to the same extent, because ready-made audio-visual content is presented, and user interaction is often limited to playing and pausing the content. For tangible CH, HMDs and CAVEs with a high-resolution display and realistic rendering capability can achieve the required immersion. Tracking is mandatory to enhance the immersion and interaction. A combination of inertial and IR sensors can provide the user's pose. Interface-related tracking is better achieved by natural interaction such as gesture, gaze, and speech sensors. Tracking is not required if intangible CHs are presented, but it can enhance the experience. Both VR and MR can be used to achieve educational support in a fully immersive environment. AR may not be a

¹²www.museomav.it, www.museocabras.it.




Fig. 2. A Venn diagram showing the relationship between application categories. The assignment of applications to overlapping categories is based in part on the use of a single shared technology (e.g., Markerless Augmented Reality for the overlap between Exhibition Enhancement and Reconstruction).

suitable alternative as it overlays virtual and real-world views, while the focus of educational applications tends to be historical.

- (2) *Exhibition enhancement.* Enhancing a visitor’s experience can take place indoors or outdoors, or sometimes both, based on the location of CH assets. In all cases, a virtual element, such as a description, guide map, or virtual-human character, is superimposed over the users’ current view of the real world. The number, and the quality, of applied research articles in this field is high, since AR can provide a variety of solutions to help museums fulfill their role and goals (Choi 2014). Regardless of the type of installation, there is evidence that visitor interest grows when such immersive solutions are adopted (Chang et al. 2014). In the user study conducted during the ARCO project (Sylaiou et al. 2010), this same trend was evident. In fact, in many cases an immersive reality approach enables new media and storytelling that represents the major highlight of a user’s experience (Pescarin et al. 2012). The work of Liestøl (2014) in uncovering

Table 3. The Surveyed MR Applications in the CH Domain and Their Purpose and the Enabling Technologies They Adopted

Application	Purpose	Tracking	Display	Interface	Setting
Schnädelbach et al. (2002)	Reconstruction	Hybrid (rotation sensors and GPS)	Custom-built (Tripod-mounted display)	Tangible (Device-based)	Non-immersive
Magenat-Thalman et al. (2004)	Reconstruction	Markerless	Mobile (laptop)	Tangible	Non-immersive
Dow et al. (2005)	Education	Hybrid (GPS and IMU)	Mobile (Audio presentation device and tablet)	Hybrid (Tangible, device-based)	Non-immersive
Liarokapis et al. (2007)	Virtual museum	Hybrid (Marker-based and sensors)	Mobile (laptop)	Multimodal (audio-visual)	Non-immersive
Chrysanthi et al. (2012)	Education	Marker-based	Plasma screen	Tangible	Non-immersive
Durand et al. (2014)	Reconstruction	Sensor-based (IMU)	Mobile	Tangible	Non-immersive
Okura et al. (2015)	Reconstruction	Hybrid (GPS and Markerless)	Mobile	Hybrid (Tangible, device-based)	Non-immersive
Santos et al. (2010)	Reconstruction	Hybrid (markerless, GPS, IMU)	Custom-built (HMD-like)	Collaborative	Semi-immersive
Benko et al. (2004)	Exploration	Hybrid (inertial, electromagnetic and acoustic)	Combo (HMD, projected table, large screen)	Hybrid (Multimodal and collaborative)	Fully immersive
Magenat-Thalman and Papagiannakis (2005)	Reconstruction	Markerless	HMD	Hybrid (Tangible, device-base)	Fully immersive

the Appian way and Ozden et al. (2014) on user interaction modules for two Istanbul museums are good examples. In another case (Petridis et al. 2013), the user experience was made more immersive, engaging, and interactive at the Herbert Museum and Art Gallery. In Sdegno et al. (2015), painted architecture by Paolo Veronese was brought to life thanks to a 3D reconstruction, while in Pierdicca et al. (2015b) and Clini et al. (2014) the famous painting “La Città Ideale” was augmented with digital information without requiring artificial markers. The use of mobile devices is increasing in the cultural and museum sectors, as are the number of apps (e.g., on Google Play and the Apple Store) and many Museums’ Apps are good examples of technological integration with experience design.

In general, both AR and MR can be employed for exhibition enhancement. VR cannot be used since it blocks the real-world views. See-through HMDs, however, can deliver immersive experiences of both indoor and outdoor sites, but the virtual elements should not distract visitors’ view of the real world, because the aim is enhancing a visit experience at physical museums and CH sites, not substituting it with virtual views. Therefore, the rendering should be vivid and realistic, the tracking must be robust, and the registration must be fast, especially, if optical-see-through HMDs are used. Otherwise, a user’s experience will be unpleasant. In the case of indoor systems, a combination of markerless and sensor-based tracking methods can be employed. Marker-based and other approaches that need physical attachment to a CH asset should

Table 4. The Surveyed VR Applications in the CH Domain and Their Purpose and the Enabling Technologies they Adopted

Application	Purpose	Tracking	Display	Interface	Setting
Wojciechowski et al. (2004)	Virtual museum	No pose tracking (pre-rendered respective)	Desktop screen	Web-based (Mouse and keyboard)	Non-immersive
Zara (2004)	Virtual museum	No pose tracking	Desktop screen	Device-based	Non-immersive
Laycock et al. (2008)	Reconstruction	No pose tracking	Desktop	Device-based	Non-immersive
Richards-Rissetto et al. (2014)	Education	No pose tracking	Screen/wall	Device-based	Non-immersive
Baldissini and Gaiani (2014)	Education	No pose tracking	Desktop	Device-based	Non-immersive
Gaitatzes et al. (2001)	Education	Electromagnetic	Back-projected screen	Device-based	Semi-immersive
Bruno et al. (2010)	Virtual museum	No pose tracking	Stereoscopic screen	Device-based	Semi-immersive
Haydar et al. (2011)	Virtual museum	Optical	Large Screen with LCD glasses	Device-based	Semi-immersive
Pietroni et al. (2013)	Reconstruction	No pose tracking	Screen/wall	Sensor-based (through natural gesture)	Semi-immersive
Richards-Rissetto et al. (2014)	Education	No pose tracking	3D stereo display)	Sensor-based	Semi-immersive
Hsieh et al. (2014)	Virtual museum	No pose tracking	Projector	Hybrid (Device-based and sensor-based)	Semi-immersive
Marton et al. (2014)	Exploration	Custom-designed (Image-based)	Back-projected screen	Device-based	Semi-immersive
Reunanen et al. (2015)	Reconstruction	No pose tracking	Back-projected stereo screen with goggles	Sensor-based (through natural gesture)	Semi-immersive
Bustillo et al. (2015)	Education	Hybrid (optical and markerless)	Projector	Device-based	Semi-immersive
Gaitatzes et al. (2001)	Education	Electromagnetic	CAVE	Device-based	Fully immersive
Acevedo et al. (2001)	Exploration	Hybrid (IMU, optical/electromagnetic)	CAVE	Device-based	Fully immersive
Gutierrez et al. (2004)	Reconstruction	No pose tracking	CAVE	Device-based (radio-based remote control)	Fully immersive
Christou et al. (2006)	Virtual museum	Electromagnetic	CAVE	Multimodal	Fully immersive
Hernández et al. (2007)	Virtual museum	Hybrid (Acoustic and Inertial)	HMD	Sensor-based	Fully immersive
Haydar et al. (2011)	Virtual museum	Optical	HMD	Device-based	Fully immersive
Barsanti et al. (2015)	Virtual museum	Hybrid (IMU and optical)	HMD	Sensor-based	Fully immersive
Katsouri et al. (2015)	Virtual museum	Optical	CAVE	Device-based	Fully immersive



Fig. 3. Examples of AR applications for archaeological purposes. Ancient architecture visualized in its original location thanks to the use of *location-based AR*.

- be avoided, because such practices damage the historical value of CH assets. Regarding outdoor systems, a combination of location-based, sensor-based, and markerless methods can be used to achieve tracking. If users can approach the CH asset, then a markerless method is a suitable choice; otherwise, long-range optical sensors and GPS localization are more appropriate. Most of the time, visitors tend to attend museums and CH sites in groups. Hence, the interaction interface should be collaborative and intuitive so that users can experience the visit from their own perspective and at the same time collaborate with co-located visitors. This can be extended to accommodate remote collaboration between spatially distributed visitors.
- (3) *Exploration*. Exploration-based applications primarily focus on the historical and current aspects of tangible archaeological CHs, especially, to allow users to discover, explore, visualise, and manipulate the content, thereby leading to knowledge creation and new insights. Users of such applications are assumed to have expertise in the domain; therefore, the system can assume prior knowledge of domain-specific visualisation. Exploration-focused applications need hybrid tracking, a combination of complementary displays, collaborative and multimodal interfaces, and distributed and immersive environments. Single-technology tracking is not sufficient due to its current lack of accuracy. As the users are assumed to be experts in the domain, the tracking method can focus on accuracy over user experience, however, this should not be at a cost of compromising users' comfort. To this end, a combination of sensor-based methods can fit the purpose of indoor environments, while location and sensor-based methods can achieve outdoor tracking. If the exploration tasks are at distributed locations, then the pose readings from all locations must be synchronised; otherwise, users cannot collaborate seamlessly. A suitable combination of displays could consist of HMDs and table-top projectors for indoor, and HMDs for outdoor, settings. Table-top projectors and CAVEs can accommodate multiple users at a time, and HMDs can display user-centred perspectives. Interactions with the displayed content rely heavily on the accuracy of interface-related tracking methods. For this, sensor-based input devices and natural interaction mode sensors should be used in combination. MR and AR are the best choices for exploration purposes, because users can see both the real-world and virtual views. This feature is especially invaluable in archaeological settings. The possibility of enriching reality with computer-generated information, providing innovative information access at CH sites, has been noted in recent research. Verykokou et al. (2014), for instance, visualize a part of the Middle Stoa in the Ancient Agora of Athens (see Figure 3(a)) and users have the opportunity to see what this building looked like in ancient times, as its three-dimensional model is displayed on the camera view of their device,


projected onto the modern-day ruins. Related examples of AR for exploration can be found in the work of Etxeberria et al. (2012), Pierdicca et al. (2015a), Stanco et al. (2012), Deliyiannis and Papaioannou (2014), and Emler (2015). From this brief analysis, three main points arise: First, AR applications in this domain are restricted to *sensor-based* AR (see Section 3.1.2), and interaction with virtual archaeological content in museums using AR has not spread (VR provides more possibilities in this regard). Second, AR is mainly used to visualize lost or posited artefacts. Third, for archaeology the use of geomatics applications is unavoidable (Portalés et al. 2009). Virtual reconstructions (see Figure 3(b)), in fact, must rely on accurate data sources (Pierdicca et al. 2016b; Quattrini et al. 2016). Interaction is key to making such experiences more attractive for users and involving them actively in the exploration process, as shown in the well-designed mobile interaction solutions of Wiley and Schulze (2015) and Kang (2013). Since the mid-2000s, archaeology has benefited from the widespread availability of digital 3D models (Comes et al. 2014), allowing developers to represent difficult to reach environments, for example, in underwater conditions (Haydar et al. 2011). The challenge, discussed further in Section 5 is twofold: on the one hand, describing a known workflow that moves from data acquisition to the visualization in an immersive environment and, on the other hand, making these data portable and suitable for different devices or platforms. Besides, these technologies can better accommodate collaborative and multimodal interaction. VR systems cannot meet these requirements to the same extent. However, if collaboration is not needed, then HMD-based VR can suffice.

- (4) *Reconstruction*. Applications for reconstruction display reconstructed views of tangible and intangible CHs. Such applications allow users to visualise CH assets that existed only in the past or that partially exist. Reconstructed assets can be presented in three forms: tangible, intangible, and a blend of both. AR and MR are best suited to tangible and a blend of tangible and intangible, because both technologies can superimpose the reconstructed views over their historical location. Additional information beyond the virtual reconstruction itself can also be overlaid (Saggio and Borra 2011). To ensure the preservation of artifacts, such as statues or paintings, they must be analyzed to diagnose physical frailties that could result in permanent damage. While such a diagnosis is aided by advancements in digital imaging techniques and computer-aided analysis, the ability to work directly with the artifact in the field remains limited. Several examples of different kind of diagnosis are reported by Colizzi et al. (2010). Of particular interest is the work of Girbacia et al. (2013) on a workflow for the restoration of religious heritage, starting from the reconstruction of statues and extending to their in-place geo-located visualization in AR. Vanoni et al. (2012) describe ARTifact, a tablet-based augmented reality system that enables on-site visual analysis (see Figure 4(a)). Their idea is to use overlaid layers to represent images acquired from different data sources. Another tool (Figure 4(b)), “the revealing flashlight” (Ridel et al. 2014), is intended to distinguish details obscured by aging effects. This system works by projecting an expressive 3D visualization that highlights features, based on an analysis of previously acquired geometry at multiple scales. The novelty mainly lies in the interaction, which is based on gestures.

VR, on the other hand, is suitable for intangible reconstruction and visualising tangible assets in indoor environments, because this does not rely on displaying reconstructed views over their historical location. A review of such applications with a focus on interaction and gamification is provided by Kateros et al. (2015). In the case of AR and MR, positional tracking can be achieved using a combination of GPS, orientation sensors, and markerless tracking. VR requires tracking to correct perspective, and this can be achieved through orientation sensors attached to HMDs or stereo glasses. Users of a reconstruction application may range from domain experts, students, to the general public, preferably with gamification (Münster et al. 2017; Papaefthymiou et al. 2017). Hence, the system should be inclusive of these groups’ background. To achieve such inclusiveness, more focus should be given to interaction and presentation aspects. As a result, such applications should have a multimodal interface and immersive features. In general, see-through HMDs’ can fit the requirement for AR and MR systems, and CAVEs will do the same for VR.



(a) The ARTifact application, a tablet-based AR tool designed for interactive analysis of cultural artefacts. Copyright©licensed content by IEEE Proceedings.



(b) The Revealing Flashlight is a tool that projects an expressive 3D visualization highlighting artefact features. Copyright©licensed content by ACM.

Fig. 4. Some examples of tools aimed at facilitating restoration, thereby improving analysis. The applications highlight features that are not visible with the naked eye.

- (5) *Virtual museums*. In general, virtual museums simulate physical museums and CH sites including their tangible and intangible assets. Much of the time, such assets are inaccessible and fragile. Hence, the simulation must be very realistic and detailed to serve as a replica of artefacts so that users cannot easily discern differences between the originals and their replicas. Such simulations enhance users' presence in virtual museums, thereby tricking users into feeling as if they are physically present at an actual museum or CH site in situ. This can be extended to represent users as virtual-human characters inside the simulated environment so that users who share this environment can see co-located users. To achieve this, the chosen modelling method should blend pre-rendered scenes and virtual-human characters in real time. Also, such virtual characters should not be mere avatars but close approximations of the actual users to simulate real-life interaction. Hence, the simulation should consider the behavioural and physical properties of users. In addition, the system should be fully-immersive. Users should be able to interact via gesture, gaze, speech, and movement. The enabling sensors for such interfaces should not remind users of their attachment to the real world. Otherwise, presence in the virtual museum will be interrupted. For instance, sensors physically attached to users may require direct manipulation compared to remotely placed sensors, which may result in decreased presence. Also, the interaction should create a perception of physical movement inside a digital environment. In general, HMD-based AV and CAVE-based VR environments can achieve a fully immersive virtual museum. However, large-scale CAVEs are more appropriate, because such environments can accommodate multiple users, and virtual-human characters are unnecessary.

The following sections discuss the surveyed articles from the perspectives of enabling technology, system, and purpose as observed in the survey. Moreover, some suggestions are made based on these observations as to which technologies are most suited to a given purpose. These suggestions differ from those discussed above, because those suggestions are made based on the central objective of the identified application areas, whereas the suggestions below are based on the technologies adopted by the surveyed works.

4.1 AR Applications

Most AR applications are aimed at exhibition enhancement, followed by reconstruction and exploration. Table 5 and Figure 6 show the details of these applications. Hybrid tracking is a relatively common approach, with markerless, sensor-based, and marker-based methods used in that order. In terms of presentation devices, mobile

Table 5. The Surveyed AR Applications in the CH Domain and Their Purpose and the Enabling Technologies They Adopted

Application	Purpose	Tracking	Display	Interface	Setting
Wojciechowski et al. (2004)	Exhibition enhancement	Marker-based	Desktop screen	Hybrid (Tangible and Web-based)	Indoor
Miyashita et al. (2008)	Exhibition enhancement	Hybrid (Markerless and IMU)	Mobile	Tangible	Indoor
Portalés et al. (2009)	Reconstruction	Markerless	HMD	Natural (Movement-based)	Indoor
Choudary et al. (2009)	Exploration	Marker-based	Mobile	Tangible	Indoor
Zoellner et al. (2009b)	Reconstruction	Markerless	Combo (Mobile (UMPC) and MovableScreen)	Tangible	Indoor
Kim et al. (2009)	Exhibition enhancement	Markerless	Laptop	Tangible	Indoor
Haydar et al. (2011)	Reconstruction	Marker-based (optical)	HMD	Tangible	Indoor
Damala et al. (2012)	Exhibition enhancement	No pose tracking, gaze, acoustic, and biosensor	Custom-built (See-through glass)	Natural (Sensor-based interface)	Indoor
Ridel et al. (2014)	Exploration	Hybrid (electromagnetic and optical)	SAR	Tangible	Indoor
D'Agnano et al. (2015)	Exhibition enhancement	No pose tracking (audio-based AR)	Mobile	Tangible (3D print with tactile surface)	Indoor
Damala et al. (2016)	Exhibition enhancement	Hybrid (IMU and markerless)	Mobile	Tangible (iPhone in a loupe-like wooden case)	Indoor
Breuss-Schneeweis (2016)	Exhibition enhancement	Marker-based	Mobile	Tangible	Indoor
Invitto et al. (2014)	Education	Hybrid	Desktop	Natural	Indoor
Chang et al. (2014)	Exhibition enhancement	Markerless	Mobile	Tangible	Indoor
Petridis et al. (2013)	Exhibition enhancement	Marker-based	Mobile	Natural	Indoor
Sdegno et al. (2015)	Exhibition enhancement	Marker-based	Combo	Tangible	Indoor
Pierdicca et al. (2015b)	Exhibition enhancement	Markerless	Combo	Tangible	Indoor
Clini et al. (2014)	Exhibition enhancement	Markerless	Mobile	Tangible	Indoor
Dieck et al. (2016)	Exhibition enhancement	Sensor-based	HMD	Natural (Gaze)	Indoor
Vlahakis et al. (2001)	Exhibition enhancement	Hybrid (GPS and compass)	Combo (Mobile and HMD)	Multimodal	Outdoor
Reitmayr and Schmalstieg (2004)	Exhibition enhancement	Sensor-based (GPS)	HMD	Collaborative	Outdoor

(Continued)

Table 5. Continued

Application	Purpose	Tracking	Display	Interface	Setting
Pierdicca et al. (2015a)	Exploration	Sensor-based (GPS)	Mobile	Tangible	Outdoor
Girbacia et al. (2013)	Reconstruction	Markerless	Mobile	Natural	Outdoor
Fritz et al. (2005)	Exhibition enhancement	Sensor-based (IMU)	Custom-built binocular-like video see-through	Tangible	Outdoor
Zoellner et al. (2009a)	Reconstruction	Markerless	Mobile	Tangible	Outdoor
Haugstvedt and Krogstie (2012b)	Reconstruction	Sensor-based (GPS)	Mobile	Tangible	Outdoor
Chang et al. (2015)	Education	Hybrid	Mobile	Tangible	Outdoor
Han et al. (2013)	Reconstruction	Hybrid (GPS and Markerless)	Mobile	Tangible	Outdoor
Amato et al. (2013)	Exhibition enhancement	Hybrid (GPS, RFID, compass)	Mobile	Tangible	Outdoor
Kang (2013)	Reconstruction	Sensor-based (GPS)	Mobile	Tangible	Outdoor
Empler et al. (2013)	Reconstruction	Markerless	Mobile	Tangible	Outdoor
Caggianese et al. (2014)	Exhibition enhancement	Hybrid (GPS and IMU)	HMD	Natural (Gesture-based)	Outdoor
Pacheco et al. (2015)	Reconstruction	Hybrid (GPS and IMU)	Mobile	Tangible	Outdoor
Huang et al. (2016)	Exhibition enhancement	Hybrid (GPS and IMU)	Combo (Mobile and HMD)	Collaborative	Outdoor
Canciani et al. (2016)	Reconstruction	Markerless	Mobile	Tangible	Outdoor
Petrucco and Agostini (2016)	Reconstruction	Hybrid (GPS and IMU)	Mobile	Tangible	Outdoor
Angelopoulou et al. (2011)	Exhibition enhancement	Marker-based	Mobile	Collaborative	Indoor and outdoor
D'Auria et al. (2015)	Exhibition enhancement	Hybrid (IMU, GPS)	Mobile with spatial headphone	Natural (Audio-based)	Indoor and outdoor
Madsen and Madsen (2016)	Reconstruction	Sensor-based (IMU)	Mobile	Tangible	Indoor and outdoor
Vanoni et al. (2012)	Reconstruction	Markerless	Mobile	Tangible	Indoor and outdoor

displays make up the majority followed by HMDs, a combination of diverse displays, desktop, custom-built, and SAR displays. In terms of interfaces, most applications use a tangible interface, followed by natural, collaborative, multimodal, and hybrid interfaces. In addition, most of the surveyed applications were targeted at indoor conditions and a few applications for both indoor and outdoor environments.

There are two notable differences in the environmental settings for AR applications.

4.1.1 Indoor Systems. Most indoor applications focus on exhibition enhancement. The tracking methods used are marker based and markerless. A significant number of indoor applications use mobile devices for display, and tangible interaction interfaces are the most common.

4.1.2 Outdoor Systems. The majority of outdoor applications are aimed at reconstruction. Hybrid tracking is often adopted. In terms of display and interface, mobile devices and tangible interface are common choices, respectively.




Fig. 5. Considering the identified application areas of CH, the above diagram shows the technical requirements of augmented-, virtual-, and mixed-reality systems in indoor and outdoor settings.

In general, indoor applications are more suited to exhibition enhancement experiences since physical museums tend to use such applications for virtual tour guidance more often than outdoor CHs. Outdoor applications are more suitable for a reconstruction approach, because it is then possible to overlay reconstructed historical views over the real world. Moreover, a reconstruction theme is often applied to outdoor sites that have been demolished or worn away.

4.2 VR Applications

In our findings, the majority of VR applications serve virtual museums, followed by education, reconstruction, and exploration purposes, in that order. Table 4 and Figure 7 show the details of these applications. Most do not use any tracking methods at all. This is because these applications are non-immersive or semi-immersive. The remaining applications use hybrid, electromagnetic, and optical tracking methods. In terms of presentation devices, a screen/projector is used by the majority of the applications followed by CAVE and HMD. In terms of interfaces, most of the applications use a device-based interface followed by sensor-based, multimodal, and hybrid interfaces. Applications tend to be semi-immersive.

We discuss these applications from the perspective of their level of immersion because their systems range across non-immersive, semi-immersive, and fully immersive environments.

4.2.1 Non-immersive. The areas of non-immersive applications are education, virtual museums, and reconstruction. These applications do not use any tracking methods. They employ desktop screens for displaying the virtual content, and use device-based interfaces. Therefore, desktop screen and device-based interfaces seem to be sufficient for non-immersive experiences for education, virtual museum, and education themes. Pose tracking is not required for non-immersive systems.




Fig. 6. The purposes and enabling technologies adopted by AR applications in CH.




Fig. 7. The purposes and enabling technologies adopted by VR applications in CH.

4.2.2 *Semi-immersive*. Virtual museums and education are the areas of the majority of the semi-immersive applications. However, a few applications serve reconstruction and exploration purposes. Electromagnetic, optical, and hybrid methods are used to track the pose of users and interaction devices in a few applications, but most applications do not use any tracking. This is acceptable given that users see pre-rendered virtual content and most often tracking is only required for interaction. Moreover, tracking may be unnecessary if a gamepad or mouse is used. In terms of presentation devices, back-projected screens and 3D stereo displays are common choices for semi-immersive applications. Most applications use device-based interfaces, with a few using sensor-based and hybrid interfaces. Hence, optical, electromagnetic, and hybrid tracking methods; back-projected screens and 3D stereo displays; and device-based, sensor-based, and hybrid interfaces are viable for semi-immersive systems intended for virtual museums, reconstruction, education, and exploration.




Fig. 8. The purposes and enabling technologies adopted by MR applications in CH.

4.2.3 Fully Immersive. A virtual museum is the most frequent application area for fully immersive VR. A few applications achieve education and exploration themes, though. Most applications use hybrid tracking with a few systems employing electromagnetic and optical methods. Fully immersive experiences are achieved by CAVE and HMD displays. Device-based interfaces are widely adopted. However, a few applications use multimodal and sensor-based interfaces. Therefore, fully immersive VR experiences to support virtual museums, education, and exploration are best achieved by adopting electromagnetic, optical, and hybrid tracking methods, CAVE and HMD displays, and device-based, sensor-based, and multimodal interfaces.

4.3 MR Applications

The majority of the surveyed MR applications exhibit a reconstruction purpose followed in order by education, exploration, and virtual museums. Table 3 and Figure 8 show the details of these applications. Most of these applications are designed for non-immersive experiences. Hybrid tracking, often a fusion of GPS and markerless, GPS and IMU, and inertial, electromagnetic, and acoustic tracking methods are used. Mobile displays are commonly used to present visual and audio content. However, some systems also use custom-built HMDs, and combinations of different types of presentation devices to display real-virtual content.

MR applications in the CH domain are not as widespread as AR and VR. This is understandable given that the technological aspects of MR are still in their infancy. However, when robust real-time tracking, 3D registration, realistic virtual environments, natural interfaces, and presentation devices for vivid experiences reach fruition, more MR applications will likely appear in the CH domain. Considering the current systems in the domain, however, hybrid tracking, HMD and mobile display, and tangible interface seem to satisfy the needs for implementing MR in the CH domain, especially when focusing on reconstruction.

5 DISCUSSION: CURRENT ISSUES AND FUTURE DIRECTIONS

This survey provides an exploration of research and examples of the different way in which cultural artefacts can be experienced in an immersive form through the application of AR, MR, and VR technology. The taxonomy provided in Section 4 demonstrates that these technologies are suited in a wide variety of sub-domains. What emerges in the main is the need for curators to provide users with a new perspective on their collections.

Museums, for example, can increase their appeal by augmenting their artifacts or paintings with digital media, archaeological areas can bring to life lost architectures or ruins. However, there are still many hurdles preventing the acceptance and diffusion of immersive technologies in Cultural Heritage. These hurdles are mainly due to (i) technological limitations, (ii) content complexity, and (iii) human factors. First, there are many aspects of immersive technology, such as sensor-based tracking, that could benefit from further attention. Second, the model resolution requirements of CH often exceed the capacity of current technology, particularly with respect to internet retrieval. Third, without careful consideration of human factors as they affect the user experience, immersive technologies are unlikely to experience widespread adoption.

Considering the ongoing research on tracking and registration, realistic rendering, HCI, and CH, we expect further research in the following areas:

- (1) *Robust Tracking*. *Sensor-based* tracking using commercial devices, particularly in an outdoor CH environment, remains error prone and has necessitated hybrid solutions. However, the situation is likely to improve with recent investment in these technologies. In this respect, *camera-based* approaches are a more mature technology in terms of accuracy and reliability, but there is still no prevailing standard.
- (2) *Standardisation*. Despite its advantages, immersive reality has not been widely adopted by art curators and managers. Partly this can be traced to a lack of standardization, which could facilitate rapid, sequential development projects. In AR the only available standard is the Augmented Reality Markup Language (ARML) 2.0, provided by Open Geospatial Consortium (OGS), which is primarily oriented towards location-based services. Proposed alternatives include a service-oriented strategy (Rattananarongrot et al. 2014) or standardization of the entire AR architecture (Sambinelli and Arias 2015). The community could also benefit from a self-documenting standard data format that describes the structure as well as data types and meanings of values for text, 3D models, images, audio, and video. VR systems also lack effective formal or de facto standards. Fragmentation of descriptive, structural and administrative metadata for 3D media causes interoperability issues that hamper the exploitation of 3D models on different platforms. However, in VR the most widespread standard is X3D, a royalty-free ISO standard XML-based file format for representing 3D computer graphics. The adoption of a common representation for scanned models would represent a turning point for researchers dealing to the acquisition and reconstruction of ancient artefacts (Fernández-Palacios et al. 2017). Visualization issues are mainly entrusted to the worldwide adoption of WebGL, which offers the ability to render 3D scenes within any common browser.
- (3) *User-Driven Semantics*. To deal with clutter in information rich environments, allow users to focus on particular points of interest and adapt the cultural heritage experience to their preferences, one approach is to exploit semantic web technologies, such as OWL, RDF, and SPARQL. While this approach is not novel in itself (Damala and Stojanovic 2012; Hatala and Wakkary 2005; Kovachev et al. 2014; Matuszka 2015; Van Aart et al. 2010), it does open up possibilities for citizen participation (Ruta et al. 2014).
- (4) *Tangible AR*. A number of augmented reality applications use tangible interfaces in a much narrower scope than its potential warrants. We hope to see more research that integrates Tangible User Interfaces and augmented reality so that future applications, irrespective of domain, will be able to augment physical objects with virtual content and enable interaction with this content through the augmented objects.
- (5) *Fully Immersive VR*. Fully immersive VR systems are not common for a number of reasons. The expense of CAVE technology being one. Recent advances, however, provide relatively affordable technologies such as the Oculus Rift, Microsoft HoloLens, and the HTC Vive, which are HMDs capable of high-resolution rendering, pose tracking, and natural interaction with virtual content. Thus, fully immersive VR applications will likely appear soon in a wider range of domains. We hope the CH domain will make use of such technologies to realise virtual museums, reconstruction, exploration, and education in a fully immersive virtual environment.

- (6) *Multimodal Interfaces*. A multimodal interface is a very intuitive interface and AR, VR, and MR systems can exploit this potential. However, it is extremely difficult to implement such interfaces with the state-of-the-art in HCI. However, as research in sensor technology, speech recognition, and artificial intelligence advance, multimodal interfaces will likely become more prevalent in CH and other domains, thereby allowing users to interact with virtual content through all their senses.

6 CONCLUSION

In this article, we have surveyed augmented, virtual, and mixed reality from a cultural heritage perspective focusing on aspects such as tracking and registration, virtual environment modelling, presentation, tracking, and input devices, interaction interfaces, and systems. Moreover, we have categorised a number of CH-related augmented, virtual, and mixed reality applications into the general application areas of education, exhibition enhancement, exploration, reconstruction, and virtual museums. Also, we have discussed the technological requirements to support these areas. Though, the ultimate choice of enabling technology must depend on the experience that an application is intended to provide, we make the following suggestions as to which systems are more viable for a given purpose.

Even though augmented, virtual and mixed reality can all be used to achieve the above-mentioned purposes, our survey shows that augmented reality is preferable for exhibition enhancement. Similarly, virtual reality seems better for virtual museums, and mixed reality most viable for both indoor and outdoor reconstruction applications.

REFERENCES

- Daniel Acevedo, Eileen Vote, David H. Laidlaw, and Martha S. Joukowsky. 2001. Archaeological data visualization in VR: Analysis of lamp finds at the great temple of petra, a case study. In *Proceedings of the Conference on Visualization'01*. IEEE Computer Society, 493–496.
- Alonzo C. Addison and Marco Gaiani. 2000. Virtualized architectural heritage: New tools and techniques. *IEEE MultiMedia* 7, 2 (2000), 26–31.
- Nur Intan Adhani and Rambli Dayang Rohaya Awang. 2012. A survey of mobile augmented reality applications. In *Proceedings of the 1st International Conference on Future Trends in Computing and Communication Technologies*. 89–96.
- Yahaya Ahmad. 2006. The scope and definitions of heritage: From tangible to intangible. *Int. J. Herit. Stud.* 12, 3 (2006), 292–300.
- Alba Amato, Salvatore Venticinque, and Beniamino Di Martino. 2013. Image recognition and augmented reality in cultural heritage using openCV. In *Proceedings of the International Conference on Advances in Mobile Computing & Multimedia*. ACM, 53.
- Anastassia Angelopoulou, Daphne Economou, Vassiliki Bouki, Alexandra Psarrou, Li Jin, Chris Pritchard, and Frantzeska Kolyda. 2011. Mobile augmented reality for cultural heritage. In *Mobile Wireless Middleware, Operating Systems, and Applications*. Springer, 15–22.
- C. Anthes, R. J. Garca-Hernandez, M. Wiedemann, and D. Kranzlmajiller. 2016. State of the art of virtual reality technology. In *Proceedings of the 2016 IEEE Aerospace Conference*. 1–19.
- Gabriella Arcese, Laura Di Pietro, and Roberta Guglielmetti. 2011. The augmented reality in the cultural heritage sector. In *Proceedings of the QMOD Conference on Quality and Service Sciences 2011*. Servicios de Publicaciones Universidad de Navarra Carretera del Sadar s/n 31080 Pamplona Spain, 158.
- Clemens Arth, Raphael Grasset, Lukas Gruber, Tobias Langlotz, Alessandro Mulloni, and Daniel Wagner. 2015. The history of mobile augmented reality. *arXiv Preprint arXiv:1505.01319* (2015).
- Kajos Attila and Banyai Edit. 2012. Beyond reality: The possibilities of augmented reality in cultural and heritage tourism. In *Proceedings of the 2nd International Tourism and Sport Management Conference*. 5–6.
- Ronald Azuma, Yohan Baillot, Reinhold Behringer, Steven Feiner, Simon Julier, and Blair MacIntyre. 2001. Recent advances in augmented reality. *IEEE Trans. Comput. Graph. Appl.* 21, 6 (2001), 34–47.
- Ronald T. Azuma. 1997. A survey of augmented reality. *Presence: Teleoperat. Virtual Environ.* 6, 4 (1997), 355–385.
- Jorge Bacca, Silvia Baldiris, Ramon Fabregat, Sabine Graf, and others. 2014. Augmented reality trends in education: A systematic review of research and applications. *J. Educ. Technol. Soc.* 17, 4 (2014), 133.
- Antonio Baglivo, Francesca Delli Ponti, Daniele De Luca, Antonella Guidazzoli, Maria Chiara Liguori, and Bruno Fanini. 2013. X3D/X3DOM, blender game engine and OSG4WEB: Open source visualisation for cultural heritage environments. In *Proceedings of the Digital Heritage International Congress (DigitalHeritage'13)*, Vol. 2. IEEE, 711–718.
- S. Baldissini and M. Gaiani. 2014. Interacting with the andrea palladio works: The history of palladian information system interfaces. *J. Comput. Cult. Herit.* 7, 2 (2014), 11.
- S. Gonizzi Barsanti, G. Caruso, L. L. Micoli, M. Covarrubias Rodriguez, and G. Guidi. 2015. 3D visualization of cultural heritage artefacts with virtual reality devices. *Int. Arch. Photogram. Remote Sens. Spatial Inf. Sci.* 40, 5 (2015), 165.

- Herbert Bay, Beat Fasel, and Luc Van Gool. 2005. Interactive museum guide. In *Proceedings of the 7th International Conference on Ubiquitous Computing Workshop on Smart Environments and Their Applications to Cultural Heritage (UBICOMP'05)*.
- Hrvoje Benko, Edward W. Ishak, and Steven Feiner. 2004. Collaborative mixed reality visualization of an archaeological excavation. In *Proceedings of the 3rd IEEE and ACM International Symposium on Mixed and Augmented Reality (ISMAR'04)*. IEEE, 132–140.
- Mark Billinghurst, Adrian Clark, Gun Lee, and others. 2015. A survey of augmented reality. *Found. Trends Hum.-Comput. Interact.* 8, 2–3 (2015), 73–272.
- Mark Billinghurst, Hirokazu Kato, and Ivan Poupyrev. 2008. Tangible augmented reality. *ACM SIGGRAPH Asia Course Notes 7* (2008).
- Erkan Bostanci, Nadia Kanwal, and Adrian F. Clark. 2015. Augmented reality applications for cultural heritage using Kinect. *Hum.-Centric Comput. Inf. Sci.* 5, 1 (2015), 1–18.
- Philipp Breuss-Schneeweis. 2016. The speaking celt: Augmented reality avatars guide through a museum—case study. In *Proceedings of the 2016 ACM International Joint Conference on Pervasive and Ubiquitous Computing: Adjunct*. ACM, 1484–1491.
- Fabio Bruno, Stefano Bruno, Giovanna De Sensi, Maria-Laura Luchi, Stefania Mancuso, and Maurizio Muzzupappa. 2010. From 3D reconstruction to virtual reality: A complete methodology for digital archaeological exhibition. *J. Cult. Herit.* 11, 1 (2010), 42–49.
- Andres Bustillo, Mario Alaguero, Ines Miguel, Jose M. Saiz, and Lena S. Iglesias. 2015. A flexible platform for the creation of 3D semi-immersive environments to teach cultural heritage. *Dig. Appl. Arch. Cult. Herit.* 2, 4 (2015), 248–259.
- Giuseppe Caggianese, Pietro Neroni, and Luigi Gallo. 2014. Natural interaction and wearable augmented reality for the enjoyment of the cultural heritage in outdoor conditions. In *Augmented and Virtual Reality*. Springer, 267–282.
- Fiona Cameron and Sarah Kenderdine. 2007. *Theorizing Digital Cultural Heritage: A Critical Discourse*. MIT Press.
- M. Canciani, E. Conigliaro, M. Del Grasso, P. Papalini, and M. Saccone. 2016. 3D survey and augmented reality for cultural heritage. The case study of aurelian wall at castra praetoria in rome. *Int. Arch. Photogram. Remote Sens. Spatial Inf. Sci.* 41, B5 (2016), 931–937.
- Julie Carmigniani, Borko Furht, Marco Anisetti, Paolo Ceravolo, Ernesto Damiani, and Misa Ivkovic. 2011. Augmented reality technologies, systems and applications. *Multimedia Tools Appl.* 51, 1 (2011), 341–377.
- Marcello Carrozzino and Massimo Bergamasco. 2010. Beyond virtual museums: Experiencing immersive virtual reality in real museums. *J. Cult. Herit.* 11, 4 (2010), 452–458.
- Guida Casella and Moises Coelho. 2013. Augmented heritage: Situating augmented reality mobile apps in cultural heritage communication. In *Proceedings of the 2013 International Conference on Information Systems and Design of Communication*. ACM, 138–140.
- Kuo-En Chang, Chia-Tzu Chang, Huei-Tse Hou, Yao-Ting Sung, Huei-Lin Chao, and Cheng-Ming Lee. 2014. Development and behavioral pattern analysis of a mobile guide system with augmented reality for painting appreciation instruction in an art museum. *Comput. Educ.* 71 (2014), 185–197. DOI: <http://dx.doi.org/10.1016/j.compedu.2013.09.022>
- Yu-Lien Chang, Huei-Tse Hou, Chao-Yang Pan, Yao-Ting Sung, and Kuo-En Chang. 2015. Apply an augmented reality in a mobile guidance to increase sense of place for heritage places. *Educ. Technol. Soc.* 18, 2 (2015), 166–178.
- Hee-soo Choi. 2014. The conjugation method of augmented reality in museum exhibition. *Int. J. Smart Home* 8, 1 (2014), 217–228. DOI: <http://dx.doi.org/10.14257/ijsh.2014.8.1.23>
- Omar Choudary, Vincent Charvillat, Romulus Grigoras, and Pierre Gurdjos. 2009. MARCH: Mobile augmented reality for cultural heritage. In *Proceedings of the 17th ACM International Conference on Multimedia*. ACM, 1023–1024.
- Chris Christou, Cameron Angus, Celine Loscos, Andrea Dettori, and Maria Roussou. 2006. A versatile large-scale multimodal VR system for cultural heritage visualization. In *Proceedings of the ACM Symposium on Virtual Reality Software and Technology*. ACM, 133–140.
- Angeliki Chrysanthi, Constantinos Papadopoulos, Tom Frankland, and Graeme Earl. 2012. ‘Tangible pasts’: User-centred design of a mixed reality application for cultural heritage. *Archaeology in the Digital Era* (2012), 31.
- Paolo Cignoni and Roberto Scopigno. 2008. Sampled 3D models for CH applications: A viable and enabling new medium or just a technological exercise? *J. Comput. Cult. Herit.* 1, 1 (2008), 2. DOI: <http://dx.doi.org/10.1145/1367080.1367082>
- Paolo Clini, Emanuele Frontoni, Ramona Quattrini, and Roberto Pierdicca. 2014. Augmented reality experience: From high-resolution acquisition to real time augmented contents. *Adv. Multimedia* 2014 (2014), 18–27. DOI: <http://dx.doi.org/10.1155/2014/597476>
- Paolo Clini, Emanuele Frontoni, Ramona Quattrini, Roberto Pierdicca, and Romina Nespeca. 2016. Real/not real: Pseudo-holography and augmented. *Handbook of Research on Emerging Technologies for Digital Preservation and Information Modeling* (2016), 201.
- Lucio Colizzi, Andrea Martini, and Francesco Chionna. 2010. Augmented reality applied to the diagnostics and fruition of cultural heritage. *Conserv. Sci. Cult. Herit.* 10, 1 (2010), 195–238.
- Radu Comes, Călin Neamțu, Zsolt Buna, Ionuț Badiu, and Paul Pupeză. 2014. Methodology to create 3d models for augmented reality applications using scanned point clouds. *Mediterr. Archaeol. Archaeom.* 14, 4 (2014), 35–44.
- Enrico Costanza, Andreas Kunz, and Morten Fjeld. 2009. Mixed reality: A survey. In *Human Machine Interaction*. Springer, 47–68.
- Rita Cucchiara and Alberto Del Bimbo. 2014. Visions for augmented cultural heritage experience. *IEEE MultiMedia* 21, 1 (2014), 74–82. DOI: <http://dx.doi.org/10.1109/MMUL.2014.19>
- F. D’Agnano, C. Balletti, F. Guerra, and P. Vernier. 2015. Tooteko: A case study of augmented reality for an accessible cultural heritage. Digitization, 3D printing and sensors for an audio-tactile experience. *Int. Arch. Photogram. Remote Sens. Spatial Info. Sci.* 40, 5 (2015), 207.
- Areti Damala, Eva Hornecker, Merel van der Vaart, Dick van Dijk, and Ian Ruthven. 2016. The Loupe:: Tangible augmented reality for learning to look at ancient greek art. *Int. J. Medit. Archaeol. Archaeom.* 16, 5 (2016), 73–85.

- Areti Damala and Nenad Stojanovic. 2012. Tailoring the adaptive augmented reality (A 2 R) museum visit: Identifying cultural heritage professionals' motivations and needs. In *Proceedings of the 2012 IEEE International Symposium on Mixed and Augmented Reality-Arts, Media, and Humanities (ISMAR-AMH'12)*. IEEE, 71–80.
- Areti Damala, Nenad Stojanovic, Tobias Schuchert, Jorge Moragues, Ana Cabrera, and Kiel Gilleade. 2012. Adaptive augmented reality for cultural heritage: ARtSENSE project. In *Progress in Cultural Heritage Preservation*. Springer, 746–755.
- Daniela D'Auria, Dario Di Mauro, Davide Maria Calandra, Francesco Cutugno, and Via Cinthia SNC. 2015. A 3D audio augmented reality system for a cultural heritage management and fruition. *J. Dig. Inf. Manage.* 13, 4 (2015), 203.
- Ioannis Deliyannis and Georgios Papaioannou. 2014. Augmented reality for archaeological environments on mobile devices: A novel open framework. *Mediterr. Archaeol. Archaeom.* 14, 4 (2014), 1–10.
- M. Claudia, Tom Dieck, Timothy Hyungsoo Jung, and Dario tom Dieck. 2016. Enhancing art gallery visitors learning experience using wearable augmented reality: Generic learning outcomes perspective. *Curr. Issues Tourism* 0, 0 (2016), 1–21.
- Steven Dow, Jaemin Lee, Christopher Oezbek, Blair MacIntyre, Jay David Bolter, and Maribeth Gandy. 2005. Exploring spatial narratives and mixed reality experiences in Oakland Cemetery. In *Proceedings of the 2005 ACM SIGCHI International Conference on Advances in Computer Entertainment Technology*. ACM, 51–60.
- Emmanuel Durand, Frederic Merienne, Christian Pere, and Patrick Callet. 2014. Ray-on, an on-site photometric augmented reality device. *J. Comput. Cult. Herit.* 7, 2 (2014), 7.
- Tommaso Empler. 2015. Cultural heritage: Displaying the forum of nerva with new technologies. In *2015 Digital Heritage*, Vol. 2. IEEE, 581–586. DOI : <http://dx.doi.org/10.1109/digitalheritage.2015.7419576>
- Tommaso Empler, Giovanni Murru, and Marco Fratarcangeli. 2013. Practical augmented visualization on handheld devices for cultural heritage. In *Proceedings of the 21st International Conference on Computer Graphics, Visualisation and Computer Vision*. Václav Skala-UNION Agency, 97–103.
- Alex Ibáñez Etxeberria, Mikel Asensio, Naiara Vicent, and José María Cuenca. 2012. Mobile devices: A tool for tourism and learning at archaeological sites. *Int. Jo. Web Based Commun.* 8, 1 (2012), 57–72. DOI : <http://dx.doi.org/10.1504/ijwbc.2012.044682>
- Belen Jiménez Fernández-Palacios, Daniele Morabito, and Fabio Remondino. 2017. Access to complex reality-based 3D models using virtual reality solutions. *J. Cult. Herit.* 23 (2017), 40–48.
- F. Fritz, A Susperregui, and Maria Teresa Linaza. 2005. Enhancing cultural tourism experiences with augmented reality technologies. In *Proceedings of the 6th International Symposium on Virtual Reality, Archaeology and Cultural Heritage (VAST'05)*.
- Athanasios Gaitatzes, Dimitrios Christopoulos, and Maria Roussou. 2001. Reviving the past: Cultural heritage meets virtual reality. In *Proceedings of the 2001 Conference on Virtual Reality, Archeology, and Cultural Heritage*. ACM, 103–110.
- Areti Galani. 2003. Mixed reality museum visits: Using new technologies to support co-visiting for local and remote visitors. *Museol. Rev.* 10 (2003).
- Michael Gargalakos, Elpida Giallouri, Aggelos Lazoudis, Sofoklis Sotiriou, and Franz X Bogner. 2011. Assessing the impact of technology-enhanced field trips in science centers and museums. *Adv. Sci. Lett.* 4, 11–12 (2011), 3332–3341. DOI : <http://dx.doi.org/10.1166/asl.2011.2043>
- Philip Geiger, Marc Schickler, Rüdiger Pryss, Johannes Schobel, and Manfred Reichert. 2014. Location-based mobile augmented reality applications: Challenges, examples, lessons learned. In *10th Int'l Conference on Web Information Systems and Technologies (WEBIST'14), Special Session on Business Apps* (2014), 383–394.
- Jean-Pierre Gerval and Yann Le Ru. 2015. Fusion of multimedia and mobile technology in audioguides for museums and exhibitions. In *Fusion of Smart, Multimedia and Computer Gaming Technologies*. Springer, 173–205. DOI : http://dx.doi.org/10.1007/978-3-319-14645-4_8
- Florin Girbacia, Silviu Butnariu, A. Orman, and C. Postelnicu. 2013. Virtual restoration of deteriorated religious heritage objects using augmented reality technologies. *Eur. J. Sci. Theol.* 9, 2 (2013), 223–231.
- Diego Gutierrez, Francisco J. Seron, Juan A. Magallon, Emilio J. Sobreviela, and Pedro Latorre. 2004. Archaeological and cultural heritage: Bringing life to an unearthed muslim suburb in an immersive environment. *J. Cult. Herit.* 5, 1 (2004), 63–74.
- Daniel A Guttentag. 2010. Virtual reality: Applications and implications for tourism. *Tourism Manage.* 31, 5 (2010), 637–651.
- Tony Hall, Luigina Cioffi, Liam Bannon, Mike Fraser, Steve Benford, John Bowers, Chris Greenhalgh, Sten-Olof Hellström, Shahram Izadi, Holger Schnädelbach, and others. 2001. The visitor as virtual archaeologist: Explorations in mixed reality technology to enhance educational and social interaction in the museum. In *Proceedings of the 2001 Conference on Virtual Reality, Archeology, and Cultural Heritage*. ACM, 91–96.
- Jong-Gil Han, Kyoung-Wook Park, Kyeong-Jin Ban, and Eung-Kon Kim. 2013. Cultural heritage sites visualization system based on outdoor augmented reality. *AASRI Proc.* 4 (2013), 64–71.
- Marek Hatala and Ron Wakkary. 2005. Ontology-based user modeling in an augmented audio reality system for museums. *User Model. User-Adapt. Interact.* 15, 3–4 (2005), 339–380. DOI : <http://dx.doi.org/10.1007/s11257-005-2304-5>
- Anne-Cecilie Haugstvedt and John Krogstie. 2012a. Mobile augmented reality for cultural heritage: A technology acceptance study. In *Proceedings of the 2012 IEEE International Symposium on Mixed and Augmented Reality (ISMAR'12)*. IEEE, 247–255. DOI : <http://dx.doi.org/10.1109/ismar.2012.6402563>
- A.-C. Haugstvedt and John Krogstie. 2012b. Mobile augmented reality for cultural heritage: A technology acceptance study. In *Proceedings of the 2012 IEEE International Symposium on Mixed and Augmented Reality (ISMAR'12)*. IEEE, 247–255.

- Mahmoud Haydar, David Roussel, Madjid Maïdi, Samir Otmame, and Malik Mallem. 2011. Virtual and augmented reality for cultural computing and heritage: A case study of virtual exploration of underwater archaeological sites (preprint). *Virtual Real.* 15, 4 (2011), 311–327.
- Henry Heberle, Gabriela Vaz Meirelles, Felipe R. da Silva, Guilherme P. Telles, and Rosane Minghim. 2015. InteractiVenn: A web-based tool for the analysis of sets through Venn diagrams. *BMC Bioinf.* 16, 1 (2015), 169.
- Luis A. Hernández, Javier Taibo, David Blanco, José A Iglesias, Antonio Seoane, Alberto Jaspe, and Rocío López. 2007. Physically walking in digital spaces a virtual reality installation for exploration of historical heritage. *Int. J. Arch. Comput.* 5, 3 (2007), 487–506.
- Heiko Herrmann and Emiliano Pastorelli. 2014. Virtual reality visualization for photogrammetric 3d reconstructions of cultural heritage. In *Proceedings of the International Conference on Augmented and Virtual Reality*. Springer, 283–295.
- Chun-Ko Hsieh, Wen-Ching Liao, Meng-Chieh Yu, and Yi-Ping Hung. 2014. Interacting with the past: Creating a time perception journey experience using kinect-based breath detection and deterioration and recovery simulation technologies. *J. Comput. Cult. Herit.* 7, 1 (2014), 1.
- Wei Huang, Min Sun, and Songnian Li. 2016. A 3D GIS-based interactive registration mechanism for outdoor augmented reality system. *Expert Syst. Applic.* 55 (2016), 48–58.
- Wolfgang Hürst and Casper Van Wezel. 2013. Gesture-based interaction via finger tracking for mobile augmented reality. *Multimedia Tools Appl.* 62, 1 (2013), 233–258.
- Sara Invitto, Italo Spada, Dario Turco, and Genuario Belmonte. 2014. Easy perception lab: Evolution, brain and virtual and augmented reality in museum environment. In *Proceedings of the International Conference on Augmented and Virtual Reality*. Springer, 302–310.
- Hiroshi Ishii. 2008. The tangible user interface and its evolution. *Commun. ACM* 51, 6 (2008), 32–36.
- Jiyoung Kang. 2013. AR teleport: Digital reconstruction of historical and cultural-heritage sites for mobile phones via movement-based interactions. *Wireless Pers. Commun.* 70, 4 (2013), 1443–1462.
- Stavros Kateros, Stylianos Georgiou, Margarita Papaefthymiou, George Papagiannakis, and Michalis Tsioumas. 2015. A comparison of gamified, immersive VR curation methods for enhanced presence and human-computer interaction in digital humanities. *Int. J. Herit. Dig. Era* 4, 2 (2015), 221–233.
- Hirokazu Kato, Mark Billinghurst, Ivan Poupyrev, Kenji Imamoto, and Keihachiro Tachibana. 2000. Virtual object manipulation on a table-top AR environment. In *Proceedings of the IEEE and ACM International Symposium on Augmented Reality (ISAR'00)*. IEEE, 111–119.
- Irene Katsouri, Aimilia Tzanavari, Kyriakos Herakleous, and Charalambos Poullis. 2015. Visualizing and assessing hypotheses for marine archaeology in a VR CAVE environment. *J. Comput. Cultur. Herit.* 8, 2 (2015), 10.
- Kangsoo Kim, Byung-Kuk Seo, Jae-Hyek Han, and Jong-Il Park. 2009. Augmented reality tour system for immersive experience of cultural heritage. In *Proceedings of the 8th International Conference on Virtual Reality Continuum and its Applications in Industry*. ACM, 323–324.
- Chris D. Kounavis, Anna E. Kasimati, and Efpraxia D. Zamani. 2012. Enhancing the tourism experience through mobile augmented reality: Challenges and prospects. *Int. J. Eng. Bus. Manage.* 4 (2012), 1–6.
- Dejan Kovachev, Petru Nicolaescu, and Ralf Klamma. 2014. Mobile real-time collaboration for semantic multimedia. *Mobile Netw. Appl.* 19, 5 (2014), 635–648. DOI: <http://dx.doi.org/10.1007/s11036-013-0453-z>
- Robert G. Laycock, David Drinkwater, and Andy M. Day. 2008. Exploring cultural heritage sites through space and time. *J. Comput. Cult. Herit.* 1, 2 (2008), 11.
- Johnny Lee. 2017. 4-1: Invited paper: Mobile AR in your pocket with google tango. In *SID Symposium Digest of Technical Papers*, Vol. 48. Wiley Online Library, 17–18.
- Fotis Liarokapis. 2007. An augmented reality interface for visualizing and interacting with virtual content. *Virtual Real.* 11, 1 (2007), 23–43.
- Fotis Liarokapis, Ian Greatbatch, David Mountain, Anil Gunesh, Vesna Brujic-Okretic, and Jonathan Raper. 2005. Mobile augmented reality techniques for geovisualisation. In *Proceedings of the 9th International Conference on Information Visualisation, 2005*. IEEE, 745–751.
- Fotis Liarokapis, Robert M. Newman, Sarah Mount, Daniel Goldsmith, Louis Macan, Garry Malone, James Shuttleworth, and others. 2007. Sense-enabled mixed reality museum exhibitions. In *Proceedings of the 6th International Symposium on Virtual Reality, Archaeology and Cultural Heritage (VAST'07)*. 31–38.
- Gunnar Liestøl. 2014. Along the appian way. Storytelling and memory across time and space in mobile augmented reality. In *Proceedings of the Euro-Mediterranean Conference*. Springer, 248–257.
- Wei-quan Lu, Linh-Chi Nguyen, Teong Leong Chuah, and Ellen Yi-Luen Do. 2014. Effects of mobile AR-enabled interactions on retention and transfer for learning in art museum contexts. In *Proceedings of the 2014 IEEE International Symposium on Mixed and Augmented Reality-Media, Art, Social Science, Humanities and Design (ISMAR-MASH'D'14)*. IEEE, 3–11.
- Jacob B. Madsen and Claus B. Madsen. 2016. Handheld visual representation of a castle chapel ruin. *J. Comput. Cult. Herit.* 9, 1 (2016), 6.
- Nadia Magnenat-Thalmann and George Papagiannakis. 2005. Virtual worlds and augmented reality in cultural heritage applications. *Recording, Modeling and Visualization of Cultural Heritage* (2005), 419–430.
- Nadia Magnenat-Thalmann, George Papagiannakis, Alessandro Foni, Marlene Arevalo, and Nedjma Cadi-Yazli. 2004. Simulating life in ancient sites using mixed reality technology. *CEIG04* (2004).
- Lev Manovich. 2006. The poetics of augmented space. *Vis. Commun.* 5, 2 (2006), 219–240.
- Fabio Marton, Marcos Balsa Rodriguez, Fabio Bettio, Marco Agus, Alberto Jaspe Villanueva, and Enrico Gobbetti. 2014. IsoCam: Interactive visual exploration of massive cultural heritage models on large projection setups. *J. Comput. Cult. Herit.* 7, 2 (2014), 12.

- Camillia Matuk. 2016. The learning affordances of augmented reality for museum exhibits on human health. *Mus. Soc. Issues* 11, 1 (2016), 73–87.
- Tamás Matuszka. 2015. The design and implementation of semantic web-based architecture for augmented reality browser. In *Proceedings of the European Semantic Web Conference*. Springer, 731–739.
- Paul Milgram and Fumio Kishino. 1994. A taxonomy of mixed reality visual displays. *IEICE Trans. Inf. Syst.* 77, 12 (1994), 1321–1329.
- Paul Milgram, Haruo Takemura, Akira Utsumi, and Fumio Kishino. 1995. Augmented reality: A class of displays on the reality-virtuality continuum. In *Photonics for Industrial Applications*. International Society for Optics and Photonics, 282–292.
- Tsutomu Miyashita, Peter Meier, Tomoya Tachikawa, Stephanie Orlic, Tobias Eble, Volker Scholz, Andreas Gapel, Oliver Gerl, Stanimir Arnaudov, and Sebastian Lieberknecht. 2008. An augmented reality museum guide. In *Proceedings of the 7th IEEE/ACM International Symposium on Mixed and Augmented Reality*. IEEE Computer Society, 103–106.
- Rozhen Kamal Mohammed-Amin, Richard M. Levy, and Jeffrey Edwin Boyd. 2012. Mobile augmented reality for interpretation of archaeological sites. In *Proceedings of the 2nd International ACM Workshop on Personalized Access to Cultural Heritage*. ACM, 11–14.
- N. Mourkoussis, F. Liarokapis, J. Darcy, M. Pettersson, P. Petridis, P. Lister, and M. White. 2002. Virtual and augmented reality applied to educational and cultural heritage domains. In *Proceedings of the Workshop on Business Applications of Virtual Reality*.
- Sander Münster, Cindy Kröber, Heide Weller, and Nikolas Prechtel. 2017. Virtual reconstruction of historical architecture as media for knowledge representation. In *Mixed Reality and Gamification for Cultural Heritage*. Springer, 313–330.
- Takeshi Naemura, Yasuaki Kakehi, Tomoko Hashida, Daisuke Akatsuka, Takuro Wada, Takashi Nariya, Totaro Nakashima, Ryo Oshima, Takafumi Kuno, and others. 2010. Mixed reality technologies for museum experience. In *Proceedings of the 9th ACM SIGGRAPH Conference on Virtual-Reality Continuum and Its Applications in Industry*. ACM, 17–20.
- Zakiah Noh, Mohd Shahrizal Sunar, and Zhigeng Pan. 2009. A review on augmented reality for virtual heritage system. In *Proceedings of the International Conference on Technologies for E-Learning and Digital Entertainment*. Springer, 50–61.
- Fumio Okura, Masayuki Kanbara, and Naokazu Yokoya. 2015. Mixed-reality world exploration using image-based rendering. *J. Comput. Cult. Herit.* 8, 2 (2015), 9.
- Laura Serra Oliva, Anna Mura, Daniel Pacheco, Enrique Martinez, Paul Verschure, and others. 2015. Recovering the history of bergen belsen using an interactive 3D reconstruction in a mixed reality space the role of pre-knowledge on memory recollection. In *2015 Digital Heritage*, Vol. 1. IEEE, 163–165.
- Kemal Egemen Ozden, Devrim Unay, Huseyin Inan, Bahtiyar Kaba, and Ovgu Ozturk Ergun. 2014. Intelligent interactive applications for museum visits. In *Proceedings of the Euro-Mediterranean Conference*. Springer, 555–563. DOI : http://dx.doi.org/10.1007/978-3-319-13695-0_55
- Daniel Pacheco, Sytse Wierenga, Pedro Omedas, Laura S Oliva, Stefan Wilbricht, Stephanie Billib, Habbo Knoch, and Paul FMJ Verschure. 2015. A location-based augmented reality system for the spatial interaction with historical datasets. In *2015 Digital Heritage*, Vol. 1. IEEE, 393–396.
- Margarita Papaefthymiou, Steve Kateros, Stylianos Georgiou, Nikos Lydatakis, Paul Zikas, Vasileios Bachlitzanakis, and George Papagianakis. 2017. Gamified AR/VR character rendering and animation-enabling technologies. In *Mixed Reality and Gamification for Cultural Heritage*. Springer, 333–357.
- George Papagiannakis, Gurminder Singh, and Nadia Magnenat-Thalmann. 2008. A survey of mobile and wireless technologies for augmented reality systems. *Comput. Anim. Virtual Worlds* 19, 1 (2008), 3–22.
- Sofia Pescarin, Alfonsina Pagano, Mattias Wallergård, Wim Hupperetz, and Christie Ray. 2012. Archeovirtual 2011: An evaluation approach to virtual museums. In *Proceedings of the 2012 18th International Conference on Virtual Systems and Multimedia (VSMM'11)*. IEEE, 25–32. DOI : <http://dx.doi.org/10.1109/vsimm.2012.6365903>
- Panagiotis Petridis, Ian Dunwell, Fotis Liarokapis, George Constantinou, Sylvester Arnab, Sara de Freitas, and Maurice Hendrix. 2013. The herbert virtual museum. *J. Electr. Comput. Engineer.* 2013 (2013), 16. DOI : <http://dx.doi.org/10.1155/2013/487970>
- Corrado Petrucco and Daniele Agostini. 2016. Teaching cultural heritage using mobile augmented reality. *J. e-Learn. Knowl. Soc.* 12, 3 (2016).
- Roberto Pierdicca, Emanuele Frontoni, Eva Savina Malinverni, Francesca Colosi, and Roberto Orazi. 2016a. 3D visualization tools to explore ancient architectures in south america. *Virtual Archaeology Review* (2016).
- Roberto Pierdicca, Emanuele Frontoni, Eva Savina Malinverni, Francesca Colosi, and Roberto Orazi. 2016b. Virtual reconstruction of archaeological heritage using a combination of photogrammetric techniques: Huaca Arco Iris, Chan Chan, Peru. *Digital Appl. Archaeology Cult. Herit.* 3, 3 (2016), 80–90.
- Roberto Pierdicca, Emanuele Frontoni, Primo Zingaretti, Eva Savina Malinverni, Francesca Colosi, and Roberto Orazi. 2015a. Making visible the invisible. augmented reality visualization for 3D reconstructions of archaeological sites. In *Proceedings of the International Conference on Augmented and Virtual Reality*. Springer, 25–37. DOI : http://dx.doi.org/10.1007/978-3-319-22888-4_3
- Roberto Pierdicca, Emanuele Frontoni, Primo Zingaretti, Mirco Sturari, Paolo Clini, and Ramona Quattrini. 2015b. Advanced interaction with paintings by augmented reality and high resolution visualization: A real case exhibition. In *Proceedings of the International Conference on Augmented and Virtual Reality*. Springer, 38–50.
- Eva Pietroni, Annachiara Pagano, and Claudio Rufa. 2013. The etruscanning project: Gesture-based interaction and user experience in the virtual reconstruction of the regolini-galassi tomb. In *Proceedings of the Digital Heritage International Congress (DigitalHeritage'13)*, Vol. 2. IEEE, 653–660.

- Cristina Portalés, José L. Lerma, and Carmen Pérez. 2009. Photogrammetry and augmented reality for cultural heritage applications. *Photogram. Rec.* 24, 128 (2009), 316–331.
- R. Quattrini, R. Pierdicca, E. Frontoni, and R. Barcaglioni. 2016. Virtual reconstruction of lost architectures: From the TIs survey to AR visualization. *Int. Arch. Photogram. Remote Sens. Spatial Inf. Sci.* (2016), 383–390. DOI : <http://dx.doi.org/10.5194/isprs-archives-xli-b5-383-2016>
- Sasithorn Rattanarungrot, Martin White, Zeeshan Patoli, and Tudor Pascu. 2014. The application of augmented reality for reanimating cultural heritage. In *Virtual, Augmented and Mixed Reality. Applications of Virtual and Augmented Reality*. Springer, 85–95.
- Gerhard Reitmayr and Dieter Schmalstieg. 2004. Collaborative augmented reality for outdoor navigation and information browsing. In *Proceedings of the Symposium Location-Based Services and Telecartography*.
- Markku Reunanen, Lily Diaz, and Tommi Horttana. 2015. A holistic user-centered approach to immersive digital cultural heritage installations: Case vrouw maria. *J. Comput. Cult. Herit.* 7, 4 (2015), 24.
- Heather Richards-Rissetto, Jim Robertsson, Jennifer von Schwerin, Giorgio Agugiaro, Fabio Remondino, and Gabrio Girardi. 2014. Geospatial virtual heritage: A gesture-based 3D GIS to engage the public with ancient maya archaeology. *Archaeology in the Digital Era* (2014), 118–130.
- Brett Ridell, Patrick Reuter, Jérémy Laviolle, Nicolas Mellado, Nadine Couture, and Xavier Granier. 2014. The revealing flashlight: Interactive spatial augmented reality for detail exploration of cultural heritage artifacts. *J. Comput. Cult. Herit.* 7, 2 (2014), 6.
- Jacob Rigby and Shamus P. Smith. 2013. Augmented reality challenges for cultural heritage. *Newcastle: Applied Informatics Research Group. University of Newcastle* (2013).
- Marcos Balsa Rodriguez, Marco Agus, Fabio Bettio, Fabio Marton, and Enrico Gobbetti. 2015. Digital mont’ e prama: 3D cultural heritage presentations in museums and anywhere. In *Digital Heritage, 2015*, Vol. 2. IEEE, 557–564.
- Jannick P. Rolland and Henry Fuchs. 2000. Optical versus video see-through head-mounted displays in medical visualization. *Presence* 9, 3 (2000), 287–309.
- Michele Ruta, Floriano Scioscia, Danilo De Filippis, Saverio Ieva, Mario Binetti, and Eugenio Di Sciascio. 2014. A semantic-enhanced augmented reality tool for OpenStreetMap POI discovery. *Transport. Res. Proc.* 3 (2014), 479–488.
- Giovanni Saggio and Davide Borra. 2011. Augmented reality for restoration/reconstruction of artefacts with artistic or historical value. *Some Emerging Application Area* (2011).
- Fernando Sabinelli and Cecilia Sosa Arias. 2015. Augmented reality browsers: A proposal for architectural standardization. *Int. J. Softw. Eng. Appl.* 6, 1 (2015), 1.
- Andrea Sanna and Federico Manuri. 2016. A survey on applications of augmented reality. *Adv. Comput. Sci.* 5, 1 (2016), 18–27.
- Pedro Santos, Dominik Aciri, Thomas Gierlinger, Hendrik Schmedt, and André Stork. 2010. Supporting outdoor mixed reality applications for architecture and cultural heritage. In *Proceedings of the 2010 Spring Simulation Multiconference*. Society for Computer Simulation International, 190.
- Holger Schnädelbach, Boriana Koleva, Martin Flintham, Mike Fraser, Shahram Izadi, Paul Chandler, Malcolm Foster, Steve Benford, Chris Greenhalgh, and Tom Rodden. 2002. The augurscope: A mixed reality interface for outdoors. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems*. ACM, 9–16.
- Alberto Sdegno, Silvia Masserano, Denis Mior, Paola Cochelli, and Eleonora Gobbo. 2015. Augmenting painted architectures for communicating cultural heritage. *Sci. Res. Inf. Technol.* 5, 1 (2015), 93–100.
- Byung-Kuk Seo, Kangsoo Kim, Jungsik Park, and Jong-Il Park. 2010. A tracking framework for augmented reality tours on cultural heritage sites. In *Proceedings of the 9th ACM SIGGRAPH Conference on Virtual-Reality Continuum and its Applications in Industry*. ACM, 169–174.
- Orit Shaer and Eva Hornecker. 2010. Tangible user interfaces: Past, present, and future directions. *Found. Trends Hum.-Comput. Interact.* 3, 1–2 (2010), 1–137.
- Filippo Stanco, Davide Tanasi, Giovanni Gallo, Matteo Buffa, and Beatrice Basile. 2012. Augmented perception of the past. the case of hel-lenistic syracuse. *J. Multimedia* 7 (2012), 211–216. DOI : <http://dx.doi.org/10.4304/jmm.7.2.211-216>
- Sylaiou Styliani, Liarokapis Fotis, Kotsakis Kostas, and Patias Petros. 2009. Virtual museums, a survey and some issues for consideration. *J. Cult. Herit.* 10, 4 (2009), 520–528.
- Stella Sylaiou, Katerina Mania, Athanasios Karoulis, and Martin White. 2010. Exploring the relationship between presence and enjoyment in a virtual museum. *Int. J. Hum.-Comput. Stud.* 68, 5 (2010), 243–253. DOI : <http://dx.doi.org/10.1016/j.ijhcs.2009.11.002>
- Hideaki Uchiyama and Eric Marchand. 2012. Object detection and pose tracking for augmented reality: Recent approaches. In *Proceedings of the 18th Korea-Japan Joint Workshop on Frontiers of Computer Vision (FCV’12)*.
- Chris Van Aart, Bob Wielinga, and Willem Robert Van Hage. 2010. Mobile cultural heritage guide: Location-aware semantic search. In *Proceedings of the International Conference on Knowledge Engineering and Knowledge Management*. Springer, 257–271.
- D. W. F. Van Krevelen and R. Poelman. 2010. A survey of augmented reality technologies, applications and limitations. *Int. J. Virt. Real.* 9, 2 (2010), 1.
- David Vanoni, Maurizio Seracini, and Falko Kuester. 2012. ARtifact: Tablet-based augmented reality for interactive analysis of cultural artifacts. In *Proceedings of the 2012 IEEE International Symposium on Multimedia (ISM’12)*. IEEE, 44–49.
- Styliani Vergykokou, Charalabos Ioannidis, and Georgia Kontogianni. 2014. 3D visualization via augmented reality: The case of the middle stoa in the ancient agora of athens. In *Proceedings of the Euro-Mediterranean Conference*. Springer, 279–289. DOI : http://dx.doi.org/10.1007/978-3-319-13695-0_27

- Vassilios Vlahakis, John Karigiannis, Manolis Tsotros, Michael Gounaris, Luis Almeida, Didier Stricker, Tim Gleue, Ioannis T Christou, Renzo Carlucci, and Nikos Ioannidis. 2001. Archeoguide: First results of an augmented reality, mobile computing system in cultural heritage sites. In *Virtual Reality, Archeology, and Cultural Herit.* 131–140.
- Fei-Yue Wang. 2009. Is culture computable? *IEEE Intell. Syst.* 24, 2 (2009), 2–3.
- Bridgette Wiley and Jürgen P. Schulze. 2015. archAR: An archaeological augmented reality experience. In *SPIE/IS&T Electronic Imaging*. International Society for Optics and Photonics, 939203–939203.
- Rafal Wojciechowski, Krzysztof Walczak, Martin White, and Wojciech Cellary. 2004. Building virtual and augmented reality museum exhibitions. In *Proceedings of the 9th International Conference on 3D Web Technology*. ACM, 135–144.
- Jiri Zara. 2004. Virtual reality and cultural heritage on the web. In *Proceedings of the 7th International Conference on Computer Graphics and Artificial Intelligence*. 101–112.
- Qinping Zhao. 2009. A survey on virtual reality. *Sci. Chin. Ser. F: Inf. Sci.* 52, 3 (2009), 348–400.
- Feng Zhou, Henry Been-Lirn Duh, and Mark Billinghurst. 2008. Trends in augmented reality tracking, interaction and display: A review of ten years of ISMAR. In *Proceedings of the 7th IEEE/ACM International Symposium on Mixed and Augmented Reality*. IEEE Computer Society, 193–202.
- Ning-Ning Zhou and Yu-Long Deng. 2009. Virtual reality: A state-of-the-art survey. *Int. J. Autom. Comput.* 6, 4 (2009), 319–325.
- Michael Zoellner, Jens Keil, Timm Drevensek, and Harald Wuest. 2009a. Cultural heritage layers: Integrating historic media in augmented reality. In *Proceedings of the 15th International Conference on Virtual Systems and Multimedia, 2009 (VSMM'09)*. IEEE, 193–196.
- Michael Zoellner, Jens Keil, Harald Wuest, and Daniël Pletinckx. 2009b. An augmented reality presentation system for remote cultural heritage sites. In *Proceedings of the 10th International Symposium on Virtual Reality, Archaeology and Cultural Heritage (VAST'09)*. Citeseer, 112–116.

Received June 2017; revised September 2017; accepted September 2017